INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 67, 1984

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications*; numbers following are *page* numbers.

Abe, Yoshihiro See Kihara, Seiji

Abe, Yoshihiro; Kasuga, Toshihiro; and Hosono, Hideo
Preparation of high-strength calcium phosphate glass-ceramics by unidirectional crystallization. (7) C142

Agarwal, Anil K. See Flandermeyer, B. K.; Huang, R. F.

Ahmad, A. See Kuriakose, A. K.

Aikawa, T. See Hanada, Teiichi

Akhtar, Md. Masyood See LaCourse, William C.

Alamo, James; and Roy, Rustum
Revision of crystalline phases in the system ZrO_2-P_2O_5. (5) C80; Ultralow-expansion ceramics in the system Na_2O-ZrO_2-P_2O_5-SiO_2. (5) C78

Alegret, S.; Blanco, M.; and Subirats, R.
Potentiometric study of the reactivity of calcined magnesites for use in magnesium oxychloride cements. (9) 579

Anderson, Harlan U. See Huang, R. F.

Ando, Ken See Oishi, Yasumichi

Angelini, Peter See Lackey, Walter J.

Angell, C. Austen See Lin, Ted-cheng; Martin, Steve W.

Apte, P. S. See Zawidzki, Tadeusz W.

Ashmore, Sheila D. See Taylor, Peter

Assmann, Helmut; Doerr, Wolfgang; and Peehs, M.
Oxide fuels with controlled microstructure. (9) 631

Atkinson, A. See Myhra, S.

Auffredic, Jean-Paul See Louer, Daniel

Azuma, Naoto See Miyazaki, Tetsuo

Babinec, Ann See Doremus, Robert H.

Baker, Theresa L. See Lawn, Brian R.

Balazs, G. Bryan See Schreiber, Henry D.

Bamberger, Carlos E. See Brynestad, Jorulf

Bando, Yoshio See Tomozawa, Minoru

Bando, Yoshio; Ito, Setsuro; and Tomozawa, Minoru
Direct observation of crack tip geometry of SiO_2 glass by high-resolution electron microscopy. (3) C36

Banerjee, Pranab K. See Bendow, Bernard

Bansal, Narottam P.; and Doremus, Robert H.
Surface tension of ZrF_4-BaF_2-LaF_3 glass. (10) C197

Barco, Luigi See Beruto, Dario

Barringer, Eric A. See Fegley, Bruce, Jr.

Baudin, Carmen; and Moya, Jose S.
Influence of titanium dioxide on the sintering and microstructural evolution of mullite. (7) C134

Baumgartner, Charles E.
Metal oxide solubility in eutectic Li/K carbonate melts. (7) 460

Baumgartner, H. R.
Mechanical properties of densely sintered high-purity titanium diborides in molten aluminum environments. (7) 490

Baumgartner, H. R.; and Steiger, R. A.
Sintering and properties of titanium diboride made from powder synthesized in a plasma-arc heater. (3) 207

Becher, Paul F. See Wei, George C. T.

Becher, Paul F.; and Wei, George C. T.
Toughening behavior in SiC-whisker-reinforced alumina. (12) C267

Bednarik, Jaroslav See Res, Miloslav A.

Behrens, Robert G.; and Rinehart, Gary H.
Vaporization thermodynamics and enthalpy of formation of alumina silicon carbide. (8) 575

Bendow, Bernard; Banerjee, Pranab K.; and Mitra, Shashanka S.
Vibrational spectroscopy of Pb/Mn/Ga fluoride glasses. (7) C136

Bentley, J. See Carter, C. H., Jr.

Bentsen, Larry D. See Ruh, Robert

Bentsen, Larry D.; Hasselman, D. P. H.; and Tien, Tseng-ying
Effect of crystallization of the grain-boundary phase on the thermal diffusivity of a sialon ceramic. (5) C85

Bentsen, Larry D.; Thomas, James R., Jr.; and Hasselman, D. P. H.
Role of view factor in the effective radiative thermal conductivity/diffusivity of transparent materials. (5) C90

Beratan, H. R. See Sorrell, Charles C.

Beretka, Julius
Kinetic analysis of solid-state reactions between powdered reactants. (9) 615

Beruto, Dario; Barco, Luigi; and Searcy, Alan W.
CO_2-catalyzed surface area and porosity changes in high-surface-area CaO aggregates. (7) 512

Beruto, Dario; Kim, M. G.; and Barco, Luigi
Effect of Li_2CO_3 on reaction between CaO and CO_2. (4) 274

Bhalla, A. S. See Halliyal, A. G.

Bhaskar, Hira L. See Sarkar, Satya K.

Bhathena, N.; Hoagland, R. G.; and Meyrick, G.
Effects of particle distribution on transformation-induced toughening in an MgO-PSZ. (12) 799

Bihuniak, Peter P.
Effect of trace impurities on devitrification of vitreous silica—correction. (8) C170

Bihuniak, Peter P.; Calabrese, Andrew; and Erwin, Emmett M.
Effect of trace impurity levels on the viscosity of vitreous silica—correction. (8) C170

Bilinski, Halka; Matkovic, Boris; and Mazuranic, Carmen
Formation of magnesium oxychloride phases in the systems MgO-$MgCl_2$-H_2O and NaOH-$MgCl_2$-H_2O. (4) 266

Biswas, Dipak R.
Shrinkage of glass soot samples using hot-stage scanning electron microscopy. (7) C140; See also Raychaudhuri, Satyabrata

Bittle, R. R.; and Taylor, R. E.
Step-heating technique for thermal diffusivity measurements of large-grained heterogeneous materials. (3) 186

Blanco, M. See Alegret, S.

Blumenthal, W.; and Evans, A. G.
High-temperature failure of polycrystalline alumina: II, Creep crack growth and blinting. (11) 751

Boehmer, Manfred See Heinrich, Juergen

Bottinga, Yan See Richet, Pascal

Bowen, H. K. See Lloyd, I. K.; Fegley, Bruce, Jr.

Bradt, Richard C. See Reed, Dorothy A.; Shi, Ying-yi; and Sorrell, Charles C.

Braedt, Michael; and Frischat, Guenther H.
Sodium self-diffusion coefficients in alkali silicate glass melts as obtained by a microgravity experiment. (4) C54

Breder, Kristin See Ritter, John E.

Brezny, Rasto; and Semler, Charles E.
Oxidation and diffusion in selected pitch-bonded magnesia refractories. (7) 480

Brittain, R. D.; Johnson, Sylvia M.; and Lamoreaux, R. H.
High-temperature chemical phenomena affecting silicon nitride joints. (8) 522

Brook, R. J. See Vieira, J. M.

Brow, Richard K.; and Pantano, Carlo G.
Nitrogen coordination in oxynitride glasses. (4) C72

Brown, Paul Wencil; Liberman, Lawrence O.; and Frohnsdorff, Geoffrey
Kinetics of the early hydration of tricalcium aluminate in solutions containing calcium sulfate. (12) 793

Brown, Sherman D. See DeGuire, Mark R.; Knickerbocker, S. H.

Brynestad, Jorulf; Bamberger, Carlos E.; and Heatherly, Dale E.
Removal of oxide contamination from silicon carbide powders. (9) C184

Burke, Carin M. See Rose, Michael E.

Buzek, Bruno See Dutta, Sunil

Calabrese, Andrew See Bihuniak, Peter P.

Campbell, Allan B. See Taylor, Peter

Cannon, W. Roger See Zhang, Shi-chang

Caputo, Anthony J. See Lackey, Walter J.

Carlstrom, Elis; and Lange, F. F.
Mixing of flocced suspensions. (8) C169

Carnevale, Anthony See Peterson, George Earl

Carpenter, Barbara E. See Schreiber, Henry D.

Carter, C. B. See Ostyn, K. M.

Carter, C. H., Jr.; Davis, Robert F.; and Bentley, J.
Kinetics and mechanisms of high-temperature creep in silicon carbide: I, Reaction-Bonded. (6) 409; Kinetics and mechanisms of high-temperature creep in silicon carbide: II, Chemically vapor deposited. (11) 732

Carter, Clive B. See Morrissey, Karen J.

Carter, Stephen F. See France, Paul W.

Carter, W. Craig; and Glaeser, Andreas M.
Dihedral angle effects on the stability of pore channels. (6) C124

Caverly, John C. See Williams, Robert M.

Chakraborty, Indra N.; Shelby, James E.; and Condrate, Robert A., Sr.
Properties and structure of lanthanum borate glasses. (12) 782

Chan, N.-H.; and Smyth, Donald M.
Defect chemistry of donor-doped $BaTiO_3$. (4) 285

Chang, Mei See De Jonghe, Lutgard C.

Chattopadhyay, G.; Tripathi, S. N.; and Kerkar, A. S.
Thermodynamic investigations in the system U-Mo-O. (9) 610

Chen, T.-J.; and Knapp, W. J.
Fracture of porous ceramic plates under biaxial tension-compression. (10) 648

Chen, Y. See Gonzalez, R.

Chick, L. A.; and Piepel, G. F.
Statistically designed optimization of a glass composition. (11) 763

Clarke, David R.
Compositional modification of hot-pressed silicon nitride by high-temperature electrolysis. (7) 455; Simple calculation of process-zone toughening by microcracking. (1) C15

Cody, Joyce M.; and Risbud, Subhash H.
Characterization of melt-quenched quasibinary II-IV-V_2 chalcopyrite semiconducting alloys. (3) C41

Cohen, Jerome B. See Hsieh, Robert L.

Condrate, Robert A., Sr. See Chakraborty, Indra N.

Cooper, Alfred R., Jr. See Saha, Chandan Kumar; Saha, Chandran Kumar

Crnievich, Aldo Felix See Vollet, D.

Cranmer, David C.
Tribological properties of glass-ceramics—correction. (11) C254; Tribological properties of glass-ceramics. (9) C180

Crosbie, Gary M. See Tennenhouse, Gerald J.

Crosbie, Gary M.; Tennenhouse, Gerald J.; and Tischer, Ragnar P.
Electronically conducting doped chromium oxides. (7) 498

Czanderna, Karel K. See Morrissey, Karen J.

D'Angelo, Kathleen See Doremus, Robert H.

Dahar, Steven See LaCourse, William C.
Dalgleish, B. J. See Johnson, S. M.
Dalgleish, B. J.; Johnson, S. M.; and Evans, A. G.
High-temperature failure of polycrystalline alumina: I. Crack nucleation. (11) 741
Danforth, Stephen C. See Rohe, V. Tengzelius
Davidge, R. W. See Ritter, John E.
Davis, Burtron H.
Effect of pH on crystal phase of ZrO_2 precipitated from solution and calcined at 600°C. (8) C168
Davis, M. W.; and Mould, R. E.
Effect of step size in incremental loading tests on glass specimens. (1) 43
Davis, Robert F. See Carter, C. H., Jr.
Day, Delbert E. See McGrail, B. P.; Ray, Chandra S.
De Aza, Salvador See Pena, Pilar
De Bias, R. S.; and Fernandes, A. A. R.
Measurement of small concentrations of Cr and Mn in MgO using electron spin resonance. (9) C173
De Jonghe, Lutgard C. See Hsueh, Chun-Hway; Rahaman, Mohamed N.
De Jonghe, Lutgard C.; and Rahaman, Mohamed L.
Pore shrinkage and sintering stress. (10) C214
De Jonghe, Lutgard C.; Schmid, Herbert; and Chang, Mei
Interreaction between Al_2O_3 and a CaO-Al_2O_3 melt. (1) 27
De Meester, P. See Van Raemdonck, W.
DeGuire, Eileen J. See Messier, Donald R.
DeGuire, Mark R.; and Brown, Sherman D.
Dependence of Young's modulus on volume and structure in alkali silicate and alkali aluminosilicate glasses. (4) 270
Dennis, Paul F.; and Kilner, John A.
Effect of surface condition on oxygen self-diffusion coefficients in single-crystal Al_2O_3 and effect of ratio of surface area to volume on oxygen self-diffusion coefficients determined for crushed MgO-Al_2O_3 spinels—comment. (12) C269.
Dietrichs, Joachim; and Frischat, Guenther H.
Properties of metallic glasses in the system Pd-Ni-P and in related systems. (11) C233
Doerr, Wolfgang See Assmann, Helmut
Doremus, Robert H.
Alumina substructure and electrical conductivity in vitreous silica. (7) C150; See also Bansal, Narottam P.
Doremus, Robert H.; Babinec, Ann; and D'Angelo, Kathleen
Electrolysis of soda-lime silicate glass in water. (7) 476
Dorris, S. E. See Trestman-Matts, A.
Dosch, R. G.; Headley, T. J.; and Hlava, P.
Crystalline titanate ceramic nuclear waste forms—processing and microstructure. (5) 354
Drew, Robin A. L. See Hampshire, Stuart
Drory, M. D.; and Evans, A. G.
Effects of voids at three-grain junctions on sintering and creep damage. (11) 727
Duclieyne, P. See Van Raemdonck, W.
Duffy, Dorothy; and Tasker, Philip W.
General structure for coincidence twist grain boundaries in rock-salt-structured oxides. (9) C176
Duran, Alicia See Nieto, Maria Isabel
Dutta, Sunil; and Buzek, Bruno
Microstructure, strength, and oxidation of a 10 wt% yttrite-Si_3N_4 ceramic—correction. (7) 516; Microstructure, strength, and oxidation of a 10 wt% yttrite-Si_3N_4 ceramic. (2) 89
Dynys, Frederick W.; and Halloran, John W.
Influence of aggregates on sintering. (9) 596
El Leil, Mahmoud Abou; and Snitzer, Elias
Field-assisted ion exchange in type III silica. (11) C250
Elmer, Thomas H.
Leaching of E-glass. (12) 778
Ema, Kazuhiro; Shigekawa, Hidemi; and Hyodo, Shinichi
Acoustic location of fracture origin in optical glass fibers. (6) C104
Emery, Ashley F. See Liaw, Been Ming
Erwin, Emmett M. See Bihuniak, Peter P.
Evans, A. G. See Blumenthal, W.; Dalgleish, B. J.; Drory, M. D.; Johnson, S. M.; Thouless, M. D.; and Fu, Y.
Evans, A. G.; and Faber, K. T.
Crack-growth resistance of microcracking brittle materials. (4) 255
Ezis, Andre See Williams, Robert M.
Faber, K. T. See Evans, A. G.
Fairbanks, Carolyn J.; Lee, Hong Lim; and Hasselman, D. P. H.
Effect of crystallites on thermal shock resistance of cordierite glass-ceramics (11) C236
Fegley, Bruce, Jr.; Barringer, Eric A.; and Bowen, H. Kent
Synthesis and characterization of monosized doped TiO_2 powders. (6) C113
Fehrenbach, Paul J. See Hastings, Ian J.
Feldman, R. F.
Pore structure damage in blended cements caused by mercury intrusion. (1) 30
Feller, Steven A. See Kasper, James E.
Fernandes, A. A. R. See De Bias, R. S.
Fernandez Navarro, Jose See Nieto, Maria Isabel
Fessler, H.; and Fricker, D. C
Theoretical analysis of the ring-on-ring loading disk test. (9) 582
Fiandermeyer, B. K.; Nasrallah, M. M.; and Agarwal, Anil K.
Defect structure of Mg-doped $LaCrO_3$ model and thermogravimetric measurements. (3) 195
Fletcher, Joseph P. See Giess, Edward A.
Flintoff, John F. See Harker, Alan B.
Fourie, Jacobus T. See Res, Miloslav A.
Fragneau, Marc See Revcolevschi, Alexandre
France, Paul W.; Carter, Stephen F.; and Williams, John R.
NH_{45} absorption in fluoride glass infrared fibers. (11) C243
Freiburg, Christoph See Solomah, Ahmad G.
Frey, R. G.; and Halloran, John W.
Compaction behavior of spray-dried alumina. (3) 199
Fricker, D. C See Fessler, H.
Frieman, Stephen W. See Lawn, Brian R.
Frischat, Guenther H. See Braedt, Michael; Dietrichs, Joachim
Frischat, Guenther H.; Krause, Wolfgang; and Huebenthal, Horst
Preparation and properties of nitrogen-containing Na_2O-B_2O_3 glasses. (1) C10
Frischat, Guenther H.; and Overbeck, Iris
Chemical durability of fluorozirconate glasses. (11) C238
Frohnsdorff, Geoffrey See Brown, Paul Wencil
Fu, Y.; Evans, A. G.; and Kriven, Waltraud M.
Microcrack nucleation in ceramics subject to a phase transformation. (9) 626
Fueki, Kenji See Miyazaki, Tetsuo
Fujiwara, Shutaro See Somiya, Shigeyuki
Garofalini, Stephen H.
Behavior of atoms at the surface of a K_2O·$3SiO_2$ glass—a molecular dynamics [MD] simulation. (2) 133
Georgopoulos, Panayotis See Hsieh, Robert L.
Geotti Bianchini, F.; Poiato, P.; and Lo Russo, S.
Antireflective effects on a soda-lime glass induced by Ar^+ implantation. (1) 39
Geraci, Dean J.; and Shelby, James E.
Effect of atmosphere on the electrical conductivity of sodium tungstophosphate glasses. (10) 654
Giess, Edward A.; Fletcher, Joseph P.; and Herron, L. Wynn
Isothermal sintering of cordierite-type glass powders. (8) 549
Glaeser, Andreas M. See Carter, W. Craig
Glasser, F. P. See Jantzen, C. M.
Golob, Helen R.; and Swarts, E. Lowell
Disproportionation of SO_2 in bubbles within soda-containing glasses. (8) 564
Gonzalez, R.; Chen, Y.; and Tsang, K. L.
Diffusion of deuterium in amorphous cordierite. (12) 775
Graves, Ronald S. See Williams, Robert K.
Grebien, Michael; Haberey, Florian; and Sahl, Kurt
Phase diagram of the pseudobinary system Ga_2O_3-$Bi_{2-x}^{3+}Bi_x^{5+}O_{3+x^{2-}}$. (10) C195
Green, David J.
Impact behavior of coated low-density bodies. (8) 560
Green, David J.; Lange, F. F.; and Ritter, John E., Jr.
Fracture behavior of the Space Shuttle thermal protection system—comment. (5) C95
Gregory, O. J.; and Richman, Marc H.
Thermal oxidation of sputter-coated reaction-bonded silicon nitride. (5) 335
Greiner, J. D. See Kandil, H. M.
Greskovich, Charles D.
Deviation from stoichiometry in Cr_2O_3 at high oxygen partial pressures—correction. (9) C192; Deviation from stoichiometry in Cr_2O_3 at high oxygen partial pressures. (6) C111
Groves, G. W. See Sinclair, W.
Haberey, Florian See Grebien, Michael
Haggerty, John S. See McLeod, A. D.; Rohe, V. Tengzelius
Halliyal, A. G.; Safari, A.; and Bhalla, A. S.
Grain-oriented glass-ceramics for piezoelectric devices. (5) 331
Halloran, John W. See Dynys, Frederick W.; Frey, R. G.
Hamilton, J. C.; and Nagelberg, A. S.
In situ Raman spectroscopic study of yttria-stabilized zirconia attack by molten sodium vanadate. (10) 686
Hampshire, Stuart; Drew, Robin A. L.; and Jack, Kenneth H.
Viscosities, glass transition temperatures, and microhardness of Y-Si-Al-O-N glasses. (3) C46
Hanada, Teiichi; Aikawa, T.; and Soga, Naohiro
Physical properties and structure of rf-sputtered amorphous films in the system TiO_2-SiO_2. (1) 52
Hand, J. H. See Yalvac, S.
Harker, Alan B.; Morgan, Peter E. D.; and Flintoff, John F.
Hot isostatic pressing [HIP] of nuclear waste glasses. (2) C26
Harris, J. See Hart, S.
Harris, Lawrence A.; Kennedy, C. R.; and Wei, George C. T.
Microscopy of SiC powders synthesized by reacting colloidal silica and pitch. (6) C121
Hart, S.; Res, Miloslav A.; and Harris, J.
Characterization and sintering of a porous glass-ceramic in the system Na_2O-B_2O_3-Sc_2O_3. (6) C116
Harvey, Keith B.; and Litke, C. D.
Model for leaching behavior of aluminosilicate glasses developed as matrices for immobilizing high-level wastes. (8) 553
Hasselman, D. P. H. See Bentsen, Larry D.; Fairbanks, Carolyn J.; Hencke, H.; Ruh, Robert; Sager, Ramon L.; Venkateswaran, Anuradha
Hastings, Ian J.; Fehrenbach, Paul J.; and Hosbons, Robert R.
Densification in irradiated UO_2 fuel. (2) C24
Hastings, Ian J.; Laurence, C. E.; and Lipsett, John J.
Release of short-lived fission products from intact and defected UO_2 fuel elements. (8) C161
Headley, T. J. See Dosch, R. G.
Headley, T. J.; and Loehman, Ronald E.
Crystallization of a glass-ceramic by epitaxial growth. (9) 620
Heatherly, Dale E. See Brynestad, Jorulf
Heinrich, Juergen; and Boehmer, Manfred
Properties of isostatically hot-pressed silicon nitride—comment. (4) C75
Hencke, H.; Thomas, James R., Jr.; and Hasselman, D. P. H.
Material properties in the thermal-stress fracture of brittle ceramics subjected to conductive heat transfer. (6) 393
Hennings, Detlev; and Rosenstein, G.
Temperature-stable dielectrics based on chemically inhomogeneous $BaTiO_3$. (4) 249
Herczog, Andrew
Barrier layers in semiconducting barium titanate glass-ceramics. (7) 484
Herron, L. Wynn See Giess, Edward A.
Heuer, Arthur H. See Lawn, Brian, R.; Mieskowski, Diane M.
Hibino, Yoshinori; Sakaguchi, Shigeki; and Tajima, Yoshimitsu
Crack growth in silica glass under dynamic loading. (1) 64
Higby, Paige L.; and Shelby, James E.
Properties of some simple glass/ceramic systems. (7) 445
Hirai, Toshio See Niihara, Koichi
Hirlinger, Margaret M. See Lange, F. F.
Hlava, P. See Dosch, R. G.
Hoagland, R. G. See Bhathena, N.
Hoare, M. R. See Zawidzki, Tadeusz W.
Hodge, James D.
Phase relations in the system Na_2O-Li_2O-Al_2O_3. (3) 183
Hoffman, David W.; Roy, Rustum; and Komarneni, Sridhar
Diphasic xerogels, a new class of materials—phases in the system Al_2O_3-SiO_2. (7) 468
Homeny, Joseph; and McGarry, Dennis L.
Preparation and mechanical properties of Mg-A1-Si-O-N glasses. (11) C225
Hopper, Robert W.
Coalescence of two equal cylinders—exact results for creeping viscous plane flow driven by capillarity. (12) C262
Hornyak, Emery J.; and Weinberg, Michael C.
Velocity of a freely rising gas bubble in a soda-lime silicate glass melt. (11) C244
Hosbons, Robert R. See Hastings, Ian J.
Hosono, Hideo See Abe, Yoshihiro
Howes, Victor R.; and Szameitat, Armin
Effect of cracks on water sorption of glass. (10) C218
Hsieh, Robert L.; Cohen, Jerome B.; and Georgopoulos, Panayotis
Cation valence in VO_x. (5) C86
Hsueh, Chun-Hway; and De Jonghe, Lutgard C.
Particle rotation in early sintering. (10) C215
Huang, R. F.; Agarwal, Anil K.; and Anderson, Harlan U.
Oxygen activity dependence of the electrical conductivity of Li-doped Cr_2O_3. (2) 146
Huebenthal, Horst See Frischat, Guenther H.
Hyodo, Shinichi See Ema, Kazuhiro
Igaki, Hisashi See Ikeda, Kiyohiko
Ihara, Chikashi See Matusita, Kazumasa
Ikeda, Kiyohiko; and Igaki, Hisashi
Fracture criterion for alumina ceramics subjected to triaxial stresses. (8) 538
Ikegami, Takayasu; and Moriyoshi, Yusuke
Intermediate-stage sintering of homogeneously packed compact. (3) 174
Ishino, Yoshihiro See Yoko, Toshinobu
Issa, M. A. A. See Molokhia, N. M.
Ito, Setsuro See Bando, Yoshio; Tomozawa, Minoru
Jack, Kenneth H. See Hampshire, Stuart
Jakus, Karl See Ritter, John E.
Jakus, Karl; Ritter, John E.; and Rogers, W. P.
Strength of hot-pressed silicon nitride after high-temperature exposure. (7) 471
Janssen, R. K. See Krol, D. M.
Jantzen, C. M.
Radioactive waste-portland cement systems: II, Leaching characteristics. (10) 674
Jantzen, C. M.; Glasser, F. P.; and Lachowski, E. E.
Radioactive waste-portland cement systems: I, Radionuclide distribution. (10) 668
Jayaratna, Manikpurage; Yoshimura, Masahiro; and Somiya, Shigeyuki
Subsolidus phase relations in the pseudoternary system ZrO_2-$YO_{1.5}$-$CrO_{1.5}$ in air. (11) C240
Jochem, C. M. G. See Spierings, G. A. C. M.
Johnson, S. M. See Dalgleish, B. J.
Johnson, S. M.; Dalgleish, B. J.; and Evans, A. G.
High-temperature failure of polycrystalline alumina: III, failure times. (11) 759
Johnson, Sylvia M. See Brittain, R. D.
Joshi, Narayan R. See Rahimzadeh, Ebrahim
Juterbock, Barbara N. See Williams, Robert M.
Kakegawa, Kazuyuki; Mohri, Junichi; and Shirasaki, Shinichi
Preparation of Pb(Zr,Ti)O_3 [PZT] through the use of cupferron. (1) C2
Kamiya, Kanichi See Yoko, Toshinobu
Kanamaru, Fumikazu See Nogugai, Kohji
Kandil, H. M.; Greiner, J. D.; and Smith, J. F.
Single-crystal elastic constants of yttria-stabilized zirconia in the range 20 to 700°C. (5) 341
Karthikeyan, Jeganathan; Venkatramani, Narayanan; and Rohatgi, Vuay Kumar
Plasma-sprayed ceramic reaction couples. (12) C261
Kasper, James E.; Feller, Steven A.; and Sumcad, Gustavo L.
New sodium borate glasses. (4) C71
Kasuga, Toshihiro See Abe, Yoshihiro
Kato, Chuzo See Sugahara, Yoshiyuki

Kellett, Bruce; and Lange, F. F.
Stresses induced by differential sintering in powder compacts. (5) 369
Kennedy, C. R. See Harris, Lawrence A.
Kerans, R. J.; Mazdiyasni, K. S.; and Ruh, Robert
Solubility of metals in substoichiometric TiC_{1-x}. (1) 34
Kerkar, A. S. See Chattopadhyay, G.
Kihara, Seiji; Watanabe, Akira; and Abe, Yoshihiro
Calcium phosphate glass-ceramic [dental] crown prepared by lost-wax technique. (6) C100
Killoh, D. C. See Parrott, L. J.
Kilner, John A. See Dennis, Paul F.
Kim, M. G. See Beruto, Dario
Kimijima, Tetsuo See Matusita, Kazumasa
Kingery, W. David See Oishi, Yasumichi
Kingery, W. David
Effect of surface condition on oxygen self-diffusion coefficients in single-crystal Al_2O_3 and effect of ratio of surface area to volume on oxygen self-diffusion coefficients determined for crushed $MgO-Al_2O_3$ spinels—reply. (12) C272
Kirchner, Henry P.
Comparison of single-point and multipoint grinding damage in glass. (5) 347; Damage penetration at elongated machining grooves in hot-pressed Si_3N_4. (2) 127
Kirchner, Henry P.; Tiracorda, J. A.; and Larchuk, T. J.
Contact damage in hot-pressed and chemically-vapor-deposited zinc sulfide. (9) C188
Knapp, W. J. See Chen, T.-J.
Knickerbocker, S. H.; Zangvil, Avigdor; and Brown, Sherman D.
Displacement rate and temperature effects in fracture of a hot-pressed silicon nitride at 1100 to 1325°C. (5) 365
Kobayashi, Albert S. See Komine, Atsutomo; Liaw, Been Ming
Kobayashi, Taneo See Suzuki, Suguru
Koehne, M. See Ostyn, K. M.
Kofstad, Per See Norby, Truls
Kohlstedt, D. L. See Quinn, C. J.
Koizumi, Mitsue See Miyamoto, Yoshinari; Suganuma, Katsuaki
Komarneni, Sridhar See Hoffman, David W.
Komatsu, Takayuki See Matusita, Kazumasa
Komine, Atsutomo; and Kobayashi, Albert S.
Fracture behavior of the Space Shuttle thermal protection system—reply. (5) C96
Kondo, Kazuo; Okuyama, Masahiko; and Ogawa, Hidetoshi
Preparation of high-strength apatite ceramics. (11) C222
Konishi, Satoshi; and Ohno, Hideo
Electrical conductivity of polycrystalline Li_2SiO_3 and γ-$LiAlO_2$. (6) 418
Konoike, Takehiro See Tamura, Hiroshi
Koumoto, Kunihito See Yamashita, Kimihiro
Krause, Wolfgang See Frischat, Guenther H.
Kreidler, Eric R. See Park, Hee Dong
Krishnaiah, M. V.; and Sriramamurti, P.
Computational model for the oxygen potentials of mixed uranium-plutonium oxide. (8) 568
Kriven, Waltraud M. See Fu, Y.
Kroeger, F. A.
Defect models for sintering and densification of Al_2O_3:Ti and Al_2O_3:Zr. (6) 390
Krol, D. M.; and Janssen, R. K.
Raman study of grain size effects in the melting behavior of $15Na_2CO_3$-$10BaCO_3$-$75SiO_2$ batches. (12) 896
Krstic, Vladimir D.
Fracture of brittle solids in the presence of thermoelastic stresses. (9) 589
Kumagai, Masato; and Messing, Gary L.
Enhanced densification of boehmite sol-gels by α-alumina seeding. (11) C230
Kumar, A. See McGrail, B. P.
Kumar, Aloiz; and Roy, Della M.
Silica-fume-modified cements of varied fineness. (1) 61
Kumar, Binod; and Lynn, William F.
Deuteroxyl groups in vitreous silica. (10) C210
Kuratani, Shusei See Shimada, Masahiko
Kuriakose, A. K.; Wheat, T. A.; and Ahmad, A.
Synthesis, sintering, and microstructure of Nasicons. (3) 179
Kurkjian, Charles R. See Peterson, George Earl
Kuroda, Kazuyuki See Sugahara, Yoshiyuki
Kwon, Oh-Hun; and Messing, Gary L.
Microstructural changes in hot isostatically pressed alumina-glass composites. (3) C43
LaCourse, William C.; Dahar, Steven; and Akhtar, Md. Masyood
Fiberizable $Si(OC_2H_5)_4$-H_2O-C_2H_5OH sols with stabilized viscosity. (10) C200
Lachowski, E. E. See Jantzen, C. M.
Lackey, Walter J.; Angelini, Peter; and Caputo, Anthony J.
Rate-controlled technique for calcining and drying. (6) C102
Lamoreaux, R. H. See Brittain, R. D.
Lange, F. F.
Sinterability of agglomerated [Al_2O_3] powders. (2) 83; See also Carlstrom, Elis; Green, David J.; Kellett, Bruce
Lange, F. F.; and Hirlinger, Margaret M.
Hindrance of grain growth in Al_2O_3 by ZrO_2 inclusions. (3) 164
Larchuk, T. J. See Kirchner, Henry P.
Laudise, R. A. See McAfee, K. B., Jr.
Laurence, C. E. See Hastings, Ian J.
Lawn, Brian R.; Frieman, Stephen W.; and Baker, Theresa L.
Microstructural effects in the strength of alumina using controlled flaws. (4) C67
Lawn, Brian, R.; Marshall, David B.; and Heuer, Arthur H.
Direct observation of crack-tip geometry of SiO_2 glass by high-resolution electron microscopy — comment. (11) C253
Lay, Kenneth W.
Effect of thermal history on the properties of a willemite glass-ceramic—comment. (1) C18
Lee, Hong Lim See Fairbanks, Carolyn J.
Lee, Mou-Tion
Reaction of high-silica optical fibers with hydrofluoric acid. (2) C21
Lewis, David See Wu, Carl Cm.
Liaw, Been Ming; Kobayashi, Albert S.; and Emery, Ashley F.
Theoretical model of impact damage in structural ceramics. (8) 544
Liberman, Lawrence O. See Brown, Paul Wencil
Liedl, G. L. See Sato, Hiroshi
Lin, Ted-cheng; and Angell, C. Austen
Electronic spectra and coordination of Ni^{2+} in potassium borate glass and melt to 1000°C. (2) C33
Lipsett, John J. See Hastings, Ian J.
Litke, C. D. See Harvey, Keith B.
Little, J. A.; and Yao, P. C.
Microscopic characterization of $Pb_{0.91}La_{0.09}(Zr_{0.65}Ti_{0.35})_{0.98}O_3$. (2) C29
Lloyd, I. K.; Pollak, T. M.; and Bowen, H. K.
Conductivity of iron-doped polycrystalline alumina at high temperatures. (12) 910
Lo Russo, S. See Geotti Bianchini, F.
Loehman, Ronald E. See Headley, T. J.; Shaw, T. M.
Louer, Daniel; Vargas, Rodolfo; and Auffredic, Jean-Paul
Morphological analysis and growth of crystallites during annealing of ZnO. (2) 136
Lynch, S. M.; and Shelby, James E.
Crystal clamping in lead titanate glass-ceramics. (6) 424
Lynn, William F. See Kumar, Binod
MacFarlane, Douglas R.
Attempted glass formation in pure $KHSO_4$. (2) C28
Manfredo, Louis J.; and McNally, Robert N.
Solubility of refractory oxides in soda-lime glass. (8) C155
Markovsky, Alex; and Soules, Thomas F.
Efficient and stable algorithm for calculating fictive temperatures. (4) C56
Marshall, David B.
Geometrical effects in elastic/plastic indentation. (1) 57; Indentation method for measuring matrix-fiber frictional stresses in ceramic composites. (12) C259; Mechanisms of failure from surface flaws in mixed-mode loading. (2) 110; See also Lawn, Brian, R.
Martin, Steve W.; and Angell, C. Austen
Conductivity maximum in sodium aluminoborate glass. (7) C148
Mason, Thomas O. See Trestman-Matts, A.
Matkovic, Boris See Bilinski, Halka
Matsuoka, Kiyoshi See Nishizawa, Hitoshi
Matsushita, Kenichi See Shimada, Masahiko
Matusita, Kazumasa; Ihara, Chikashi; and Komatsu, Takayuki
Photoelastic effects in silicate glasses. (10) 700
Matusita, Kazumasa; Yokota, Ryosuke; and Kimijima, Tetsuo
Compositional trends in photoelastic constants of borate glasses. (4) 261
Mazdiyasni, K. S. See Kerans, R. J.; Ruh, Robert
Mazuranic, Carmen See Bilinski, Halka
McAfee, K. B., Jr.; Walker, K. L.; and Laudise, R. A.
Dependence of equilibria in the modified chemical vapor deposition process on $SiCl_4$, $GeCl_4$, and O_2. (6) 420
McCune, Robert C.; and Wynblatt, Paul
Calcium segregation to a magnesium oxide (100) surface—correction. (1) 74
McElroy, David L. See Williams, Robert K.
McGarry, Dennis L. See Hornyeny, Joseph
McGrail, B. P.; Kumar, A.; and Day, Delbert E.
Sodium diffusion and leaching of simulated nuclear waste glass. (7) 463
McHargue, C. J.; and Yust, Charles S.
Lattice modification in ion-implanted ceramics. (2) 117
McKinney, Karl R. See Wu, Carl Cm.
McLeod, A. D.; Haggerty, John S.; and Sadoway, D. R.
Electrical resistivities of monocrystalline and polycrystalline TiB_2. (11) 705
McNally, Robert N. See Manfredo, Louis J.
Meeuwsen, T. P. M. See Spierings, G. A. C. M.
Mencik, Jaroslav
Rationalized load and lifetime of brittle materials. (3) C37
Messier, Donald R.; and DeGuire, Eileen J.
Thermal decomposition in the system Si-Y-Al-O-N. (9) 602
Messing, Gary L. See Kumagai, Masato; Kwon, Oh-Hun; Nies, C. W.; Shi, Ying-yi; Smith, J. P.; Sproson, Derek W.
Meyrick, G. See Bhathena, N.
Mieskowski, Diane M.; Mitchell, T. E.; and Heuer, Arthur H.
Bubble formation in oxide scales on SiC. (1) C17
Millard, Michael L. See Watson, Gordon K.
Miller, Robert A.
Oxidation-based model for thermal barrier coating life. (8) 517
Minai, Kiicki See Wakino, Kikuo
Minser, David G.; Walden, Barbara; and White, William B.
Structure of alkali-zinc silicate glasses by Raman spectroscopy. (3) C47
Mitchell, T. E. See Mieskowski, Diane M.
Mitra, Shashanka S. See Bendow, Bernard
Miyamoto, Yoshinari; Koizumi, Mitsue; and Yamada, Osamu
High-pressure self-combustion sintering for ceramics. (11) C224
Miyayama, Masaru; and Yanagida, Hiroaki
Dependence of grain-boundary resistivity on grain-boundary density in yttria-stabilized zirconia. (10) C194
Miyazaki, Tetsuo; Azuma, Naoto; and Fueki, Kenji
Kinetic behavior of H and D atoms in γ-irradiated SiO_2 [and quartz] as studied by ESR spectroscopy. (2) 99
Mohri, Junichi See Kakegawa, Kazuyuki
Molinelli, Joyce E. See Takata, Masasuke
Molokhia, N. M.; Issa, M. A. A.; and Nasser, S. A.
Dielectric and X-ray diffraction studies of barium titanate doped with ytterbium. (4) 289
Moore, Thomas J. See Watson, Gordon K.
Morgan, Peter E. D.
Synthesis of 6-nm ultrafine monoclinic zirconia. (10) C204; See also Harker, Alan B.
Moriyoshi, Yusuke See Ikegami, Takayasu
Morrissey, Karen J.; and Carter, Clive B.
Faceted grain boundaries in Al_2O_3. (4) 292
Morrissey, Karen J.; Czanderna, Karel K.; and Carter, Clive B.
Growth of α-Al_2O_3 within a transition alumina matrix. (5) C88
Mould, R. E. See Davis, M. W.
Moya, Jose S. See Baudin, Carmen
Myhra, S.; Atkinson, A.; and Riviere, J. C.
Surface analytical study of Synroc subjected to hydrothermal attack. (3) 223
Nagelberg, A. S. See Hamilton, J. C.
Nakahira, Atsushi See Niihara, Koichi
Nasrallah, M. M. See Flandermeyer, B. K.
Nasser, S. A. See Molokhia, N. M.
Navrotsky, Alexandra See Roy, Bimalendu N.
Nielsen, Lauge F.
Elasticity and damping of porous materials and impregnated materials. (2) 93
Nies, C. W.; and Messing, Gary L.
Effect of glass-transition temperature of polyethylene glycol-plasticized polyvinyl alcohol on granule compaction. (4) 301
Nieto, Maria Isabel; Duran, Alicia; and Fernandez Navarro, Jose
Determination of OH extinction coefficients in R_2O-B_2O_3-SiO_2 glasses (R=Li, Na, K). (4) 242
Niihara, Koichi; Nakahira, Atsushi; and Hirai, Toshio
Effect of stoichiometry on mechanical properties of boron carbide. (1) C13
Nishizawa, Hitoshi; Tani, Takuhiro; and Matsuoka, Kiyoshi
Crystal growth of ZnO by hydrothermal decomposition of Zn-EDTA. (6) C98
Nogami, Masayuki
Dehydration of gels and glasses in the systems B_2O_3-SiO_2 and ZrO_3-SiO_2 prepared by the sol-gel process from metal alkoxides. (12) C258
Nogami, Masayuki; and Tomozawa, Minoru
Effect of stress on water diffusion in silica glass. (2) 151
Nobugai, Kohji; Yabe, Shigeki; and Kanamaru, Fumikazu
Controlled crystallization of amorphous Si_3N_4 by Ti and Cl additives. (7) C146
Norby, Truls; and Kofstad, Per
Electrical conductivity and defect structure of Y_2O_3 as a function of water vapor pressure. (12) 786
Notis, Michael R. See Stenton, Nicola
Nutt, S. R.
Defects in silicon carbide whiskers. (6) 428
Odoj, Reinhard See Solomah, Ahmad G.
Ogawa, Hidetoshi See Kondo, Kazuo
Ohno, Hideo See Konishi, Satoshi
Oishi, Yasumichi; Ando, Ken; and Suga, Nobuhiko
Effect of surface condition on oxygen self-diffusion coefficients in single-crystal Al_2O_3 and effect of ratio of surface area to volume on oxygen self-diffusion coefficients determined for crushed $MgO-Al_2O_3$ spinels—reply. (12) C272
Okamoto, Taira See Suganuma, Katsuaki
Okuyama, Masahiko See Kondo, Kazuo
Ostyn, K. M.; Carter, C. B.; and Koehne, M.
Internal reactions in oxide solid solutions. (10) 679
Otsuka, Nobuo See Sato, Hiroshi
Overbeck, Iris See Frischat, Guenther H.
Pantano, Carlo G. See Brow, Richard K.; Shelby, James E.
Park, Hee Dong; and Kreidler, Eric R.
Phase equilibria in the system La_2O_3-P_2O_5. (1) 23
Parrott, L. J.; Patel, R. G.; and Killoh, D. C.
Effect of age on diffusion in hydrated alite cement. (4) 233
Pasto, Arvid E.
Causes and effects of Fe-bearing inclusions in sintered Si_3N_4. (9) C178
Patel, R. G. See Parrott, L. J.
Peehs, M. See Assmann, Helmut
Pena, Pilar; and De Aza, Salvador
Compatibility relations of Al_2O_3 in the system ZrO_2-Al_2O_3-SiO_2-CaO. (1) C3
Peters, Charles R. See Williams, Robert M.
Peterson, George Earl; Kurkjian, Charles R.; and Carnevale, Anthony
Summarization of glassy spectral data with particular reference to the boron anomaly. (5) 319
Petrovic, John J. See Stout, M. G.
Petrovic, John J.; and Roof, Raymond B.
Fracture toughness of a beta-SiC whisker. (10) C219
Petrovic, John J.; and Stout, M. G.
Multiaxial loading fracture of Al_2O_3 tubes: II, Weibull theory and analysis. (1) 18

Piepel, G. F. See Chick, L. A.
Polato, P. See Geotti Bianchini, F.
Pollak, T. M. See Lloyd, I. K.
Pyun, Su-Il
Gibbs free energies of formations of the magnesium and calcium germanates at high temperatures. (9) 594
Quinn, C. J.; and Kohlstedt, D. L.
Solid-state reaction between titanium carbide and titanium metal. (5) 305
Rager, Helmut See Schneider, Hartmut
Rahaman, Mohamed L. See De Jonghe, Lutgard C.
Rahaman, Mohamed N.; and De Jonghe, Lutgard C.
Sintering of CdO under low applied stress. (10) C205
Rahimzadeh, Ebrahim; Joshi, Narayan R.; and Singh, Sohan
Thermal expansion of ZrC from 120 to 300 K by an X-ray powder method. (7) C139
Raj, Rishi See Wang, J.-G.
Ray, Chandra S.; and Day, Delbert E.
Crystallization of calcia-gallia-silica glasses. (12) 906
Raychaudhuri, Satyabrata; and Biswas, Dipak R.
Effect of variation in flame velocity profile on particle deposition rate. (4) C57
Reed, Dorothy A.; and Bradt, Richard C.
Fracture mirror-failure stress relations in weathered and unweathered window glass panels. (11) C227
Regourd, M. See Vollet, D.
Res, Miloslav A. See Hart, S.
Res, Miloslav A.; Bednarik, Jaroslav; and Fourie, Jacobus T.
Preparation and sintering of a porous glass-ceramic in the system Na_2O-B_2O_3-Ga_2O_3. (12) C264
Revcolevschi, Alexandre; and Fragneau, Marc
Crystallography of the directionally solidified NiO-CaO eutectic—reply. (6) C128
Richerson, David W.; and Wimmer, James M.
Properties of isostatically hot-pressed silicon nitride—reply (4) C76
Richet, Pascal; Bottinga, Yan; and Tequi, Christophe
Heat capacity of sodium silicate liquids. (1) C6
Richman, Marc H. See Gregory, O. J.
Rinehart, Gary H. See Behrens, Robert G.
Risbud, Subhash H. See Cody, Joyce M.
Ritter, John E. See Green, David J.; Jakus, Karl
Ritter, John E.; and Davidge, R. W.
Strength and its variability in ceramics with particular reference to alumina. (6) 432
Ritter, J. E.; Strzepa, P.; and Jakus, Karl
Erosion damage in glass and alumina. (11) 769
Ritter, John E.; Vicedomine, Michael; and Breder, Kristin
Dynamic fatigue analysis of indentation flaws using an exponential-law crack velocity function. (10) C198
Riviere, J. C. See Myhra, S.
Roberts, Frank P. See Wald, John W.
Rogers, W. P. See Jakus, Karl
Rohatgi, Vuay Kumar See Karthikeyan, Jeganathan
Rohe, V. Tengzelius; Danforth, Stephen C.; and Haggerty, John S.
Development of porous antireflective films on soda-lime-silica glass. (2) 142
Roof, Raymond B. See Petrovic, John J.
Rose, Michael E.; and Burke, Carin M.
Practical technique for investigating the fracture properties of clay-based ceramics by diamond indentation. (2) C20
Rosenfield, Alan R. See Shetty, Dinesh K.
Rosenstein, G. See Hennings, Detlev
Roy, Bimalendu N.; and Navrotsky, Alexandra
Thermochemistry of charge-coupled substitutions in silicate glasses—systems $M_{1/n}^{n+}AlO_2$-SiO_2 (M=Li, Na, K, Rb, Cs, Mg, Ca, Sr, Ba, Pb). (9) 606
Roy, Della M. See Kumar, Aloiz
Roy, Rustum See Alamo, James; Hoffman, David W.
Ruh, Robert See Kerans, R. J.
Ruh, Robert; Bentsen, Larry D.; and Hasselman, D. P. H.
Thermal diffusivity anisotropy of SiC/BN composites. (5) C83
Ruh, Robert; Mazdiyasni, K. S.; and Valentine, Peter G.
Phase relations in the system ZrO_2-Y_2O_3 at low Y_2O_3 contents. (9) C190
Ryerson, Frederick J.
Phase equilibria of [Synroc] nuclear waste ceramics—the effect of oxygen fugacity. (2) 75
Sacks, Michael D.; and Tseng, Tseung-Yuen
Preparation of SiO_2 glass from model powder compacts: I, Formation and characterization of powders, suspensions, and green compacts. (8) 526; Preparation of SiO_2 glass from model powder compacts: II, Sintering. (8) 532
Sadoway, D. R. See McLeod, A. D.
Safari, A. See Halliyal, A. G.
Sager, Ramon L.; Tawil, Henri; and Hasselman, D. P. H.
Effect of heating time on the thermal stress resistance of a soda-lime-silica glass. (10) 651
Saha, Chandran Kumar; and Cooper, Alfred R., Jr.
Abrasion resistance of field-assisted ion-exchanged glass. (8) C160; effect of etched depth on glass strength. (8) C158
Sahl, Kurt See Grebien, Michael
Sakabe, Yukio See Tamura, Hiroshi
Sakaguchi, Shigeki See Hibino, Yoshinori
Sarkar, Satya K.; Sharma, Mitthan L.; and Bhaskar, Hira L.
Effect of processing parameters on the surface area of freeze-dried and spray-dried alumina. (9) C172
Sato, Hiroshi; Otsuka, Nobuo; and Liedl, G. L.
Hexagonal β-SiC particles. (2) 103
Sato, Tsugio; and Shimada, Masahiko
Crystalline phase change in yttria-partially-stabilized zirconia by low-temperature annealing. (10) C212
Scherer, George W.
Adam-Gibbs Equation in the Analysis of Structural Relaxation—correction. (8) 578; Adam-Gibbs equation in the analysis of structural relaxation. (7) 504; Viscous sintering of a bimodal pore-size distribution. (11) 709
Schmid, Herbert See De Jonghe, Lutgard C.
Schneider, Hartmut
Solid solubility of Na_2O in mullite. (7) C130
Schneider, Hartmut; and Rager, Helmut
Occurrence of Ti^{3+} and Fe^{2+} in mullite. (11) C248
Schreiber, Henry D.; Balazs, G. Bryan; and Carpenter, Barbara E.
Electromotive force series in a borosilicate glass-forming melt. (6) C106
Schulze, Walter A. See Swartz, Scott L.
Searcy, Alan W. See Beruto, Dario
Seifert, Friedrich See Wandschneider, Peter
Semler, Charles E. See Brezny, Rasto
Seyferth, Dietmar; and Wiseman, Gary H.
High-yield synthesis of Si_3N_4/SiC ceramic materials by pyrolysis of a novel polyorganosilazane. (7) C132
Sharma, Mitthan L. See Sarkar, Satya K.
Sharma, N. K.; Williams, Wendell S.; and Zangvil, A.
Formation and structure of silicon carbide whiskers from rice hulls. (11) 715
Shaw, T. M.; Thomas, G.; and Loehman, Ronald E.
Formation and microstructure of Mg-Si-O-N glasses. (10) 643
Shelby, James E.
Properties and morphology of barium germanate glasses. (8) 557; Reaction of hydrogen with optical defects in glasses. (5) C93; See also Chakraborty, Indra N.; Geraci, Dean J.; Higby, Paige L.; Lynch, S. M.; Wilder, J. A.
Shelby, James E.; Pantano, Carlo G.; and Tesar, Aleta A.
Transformation range viscosity of fluorozirconate glasses. (8) C164
Shetty, Dinesh K.; Virkar, Anil V.; and Rosenfield, Alan R.
Compressed-spring analogy for residual stress effects on the extension of indenter flaws. (10) C201
Shi, Ying-yi; Messing, Gary L.; and Bradt, Richard C.
Reactive-phase calsintering of calcium-carbonate-derived lime. (6) C109
Shigekawa, Hidemi See Ema, Kazuhiro
Shimada, Masahiko See Sato, Tsugio
Shimada, Masahiko; Matsushita, Kenichi; and Kuratani, Shusei
Temperature dependence of Young's modulus and internal friction in alumina, silicon nitride, and partially stabilized zirconia [Y-PSZ] ceramics. (2) C23
Shirasaki, Shinichi See Kakegawa, Kazuyuki
Shrout, Thomas R. See Swartz, Scott L.
Sinclair, W.; and Groves, G. W.
Transmission electron microscopy and X-ray diffraction of doped tricalcium silicate. (5) 325
Singh, R. N.
Chemical polishing behavior of sodium β''-alumina electrolytes. (10) 696; Surface characteristics of sodium β-alumina electrolytes. (10) 637
Singh, Sohan See Rahimzadeh, Ebrahim
Slagle, O. D.
Deformation behavior of UO_2 above 2000°C. (3) 169
Smets, Bruno M. J.; and Tholen, Margriet G. W.
Leaching of glasses with molar composition $20Na_2O$·$10RO$·xAl_2O_3·$(70-x)SiO_2$. (4) 281
Smith, J. F. See Kandil, H. M.
Smith, J. P.; and Messing, Gary L.
Sintering of bimodally distributed alumina powders. (4) 238
Smyth, Donald M. See Chan, N.-H.; Witek, S.
Snitzer, Elias See el leil, Mahmoud Abou
Soga, Naohiro See Hanada, Teiichi
Solomah, Ahmad G.; Odoj, Reinhard; and Freiburg, Christoph
Thermogravimetry/differential thermal analysis and phase identification of Cs_2O·Al_2O_3·$2TiO_2$ in the ternary system Cs_2O-Al_2O_3-TiO_2. (3) C50
Somiya, Shigeyuki See Jayaratna, Manikpurage; Toraya, Hideo
Somiya, Shigeyuki; Yoshimura, Masahiro; and Fujiwara, Shutaro
Hot isostatic processing of shocked Si_3N_4 powder. (3) C51
Sorrell, Charles C.; Beratan, H. R.; and Bradt, Richard C.
Directional solidification of (Ti, Zr) carbide-(Ti, Zr) diboride eutectics. (3) 190
Soules, Thomas F. See Markovsky, Alex
Spierings, G. A. C. M.
Influence of As_2O_3 on the optical properties of ultrapure multicomponent silicate glasses and optical fibers. (2) 124
Spierings, G. A. C. M.; Jochem, C. M. G.; and Meeuwsen, T. P. M.
New class of glasses for double-crucible optical fibers with high numerical apertures. (10) 657
Sproson, Derek W.; and Messing, Gary L.
Preparation of alumina-zirconia powders by evaporative decomposition of solutions. (5) C92
Sriramamurti, P. See Krishnaiah, M. V.
Steiger, R. A. See Baumgartner, H. R.
Stenton, Nicola; Notis, Michael R.; and Williams, David B.
Quantitative electron energy-loss measurements on the system ZrO_2-CaO. (3) 227
Stout, M. G. See Petrovic, John J.
Stout, M. G.; and Petrovic, John J.
Multiaxial loading fracture of Al_2O_3 tubes: I, Experiments. (1) 14
Strzepa, P. See Ritter, John E.
Stubican, Vladimir S.
Crystallography of the directionally solidified NiO-CaO eutectic—comment. (6) C127
Subirats, R. See Alegret, S.
Suga, Nobuhiko See Oishi, Yasumichi
Sugahara, Yoshiyuki; Kuroda, Kazuyuki; and Kato, Chuzo
Synthesis of β-sialon from a montmorillonite-polyacrylonitrile intercalation compound by carbothermal reduction. (11) C247
Suganuma, Katsuaki; Okamoto, Taira; and Koizumi, Mitsue
Effects of interlayers in ceramic-metal joints with thermal expansion mismatches. (12) C256
Sumcad, Gustavo L. See Kasper, James E.
Suzuki, Suguru; Takahashi, Minoru; and Kobayashi, Taneo
Internal friction in metaphosphate glasses. (1) C9
Swarts, E. Lowell See Golob, Helen R.
Swartz, Scott L.; Shrout, Thomas R.; and Schulze, Walter A.
Dielectric properties of lead-magnesium niobate ceramics. (5) 311
Szameitat, Armin See Howes, Victor R.
Tajima, Yoshimitsu See Hibino, Yoshinori
Takahashi, Minoru See Suzuki, Suguru
Takata, Masasuke; Molinelli, Joyce E.; and Tomozawa, Minoru
Dielectric characteristics of Na_2O·$3SiO_2$ glasses with high water contents. (2) 106
Tamura, Hiroshi See Wakino, Kikuo
Tamura, Hiroshi; Konoike, Takehiro; and Sakabe, Yukio
Improved high-Q dielectric resonator with complex perovskite structure. (4) C59
Tani, Takuhiro See Nishizawa, Hitoshi
Tasker, Philip W. See Duffy, Dorothy
Tawil, Henri See Sager, Ramon L.
Taylor, Peter; Ashmore, Sheila D.; and Campbell, Allan B.
Liquid immiscibility in the systems Na_2O-Yb_2O_3-B_2O_3-SiO_2 and K_2O-Yb_2O_3-B_2O_3-SiO_2. (9) C186
Taylor, R. E. See Bittle, R. R.
Tennenhouse, Gerald J. See Crosbie, Gary M.
Tennenhouse, Gerald J.; and Crosbie, Gary M.
Reaction of sodium with ionic conductors containing P–O bonds at elevated temperatures. (3) 204
Tequi, Christophe See Richet, Pascal
Tesar, Aleta A. See Shelby, James E.
Tholen, Margriet G. W. See Smets, Bruno M. J.
Thomas, G. See Shaw, T. M.
Thomas, James R., Jr. See Bentsen, Larry D.; Hencke, H.
Thouless, M. D.; and Evans, A. G.
Nucleation of cavities during creep of liquid-phase-sintered materials. (11) 721
Tien, Tseng-ying See Bentsen, Larry D.
Tiracorda, J. A. See Kirchner, Henry P.
Tischer, Ragnar P. See Crosbie, Gary M.
Tomozawa, Minoru See Bando, Yoshio; Nogami, Masayuki; Takata, Masasuke
Tomozawa, Minoru; Bando, Yoshio; and Ito, Setsuro
Direct observation of crack-tip geometry of SiO_2 glass by high-resolution electron microscopy—reply. (11) C254
Toraya, Hideo; Yoshimura, Masahiro; and Somiya, Shigeyuki
Calibration curve for quantitative analysis of the monoclinic-tetragonal ZrO_2 system by X-ray diffraction. (6) C119; Quantitative analysis of monoclinic-stabilized cubic ZrO_2 systems by X-ray diffraction. (9) C183
Trestman-Matts, A.; Dorris, S. E.; and Mason, Thomas O.
Thermoelectric determination of cation distributions in Fe_3O_4-$MgFe_2O_4$. (1) 69
Tripathi, S. N. See Chattopadhyay, G.
Tsang, K. L. See Gonzalez, R.
Tseng, Tseung-Yuen See Sacks, Michael D.
Valentine, Peter G. See Ruh, Robert
Van Raemdonck, W.; Ducheyne, P.; and De Meester, P.
Auger electron spectroscopic analysis of hydroxylapatite coatings on titanium. (6) 381
Vargas, Rodolfo See Louer, Daniel
Venkateswaran, Anuradha; and Hasselman, D. P. H.
Creep analysis of bend specimens subject to tensile cracking. (7) C144
Venkatramani, Narayanan See Karthikeyan, Jeganathan
Vicedomine, Michael See Ritter, John E.
Vieira, J. M.; and Brook, R. J.
Hot-pressing of high-purity magnesium oxide. (7) 450; Kinetics of hot-pressing—the semilogarithmic law. (4) 245
Virkar, Anil V. See Shetty, Dinesh K.
Viskanta, Raymond; and Wu, Xigi
Effect of gas percolation on melting of glass batch. (5) 376
Vollet, D.; Craievich, Aldo Felix; and Regourd, M.
Small-angle X-ray scattering from hydrating tricalcium silicate. (5) 315
Wakino, Kikuo; Minai, Kiicki; and Tamura, Hiroshi
Microwave characteristics of (Zr,Sn)TiO_4 and BaO-PbO-Nd_2O_3-TiO_2 dielectric resonators. (4) 278
Wald, John W.; and Roberts, Frank P.
Comparison of short-term leaching in both radiation-damaged and annealed nuclear waste glasses. (4) C69
Walden, Barbara See Minser, David G.
Walker, K. L. See McAfee, K. B., Jr.
Wandschneider, Peter; and Seifert, Friedrich
System magnesium cordierite-cobalt cordierite. (8) C163
Wang, J.-G.; and Raj, Rishi
Influence of hydrostatic pressure and humidity on superplastic ductility of two β-spodumene glass-ceramics. (6) 385; Mechanism of superplastic flow in a fine-grained ceramic containing some liquid phase. (6) 399
Watanabe, Akira See Kihara, Seiji

Watson, Gordon K.; Moore, Thomas J.; and Millard, Michael L.
Effect of hot isostatic pressing on reaction-bonded silicon nitride. (10) C208
Wei, George C. T. See Becher, Paul F.; Harris, Lawrence A.
Wei, George C. T.
Phase transformation and processing of polycrystalline gadolinium selenide, $GdSe_{1.49}$. (10) 664
Wei, George C. T.; and Becher, Paul F.
Improvements in mechanical properties in SiC by the addition of TiC particles. (8) 571
Weinberg, Michael C. See Hornyak, Emery J.
Weiss, Werner
Rapid torsion method for measuring the viscosity of silica glasses up to 2200°C. (3) 213
Wheat, T. A. See Kuriakose, A. K.
White, William B. See Minser, David G.
Wilder, J. A.; and Shelby, James E.
Property variation in alkali alkaline-earth metaphosphate glasses. (6) 438
Williams, David B. See Stenton, Nicola
Williams, John R. See France, Paul W.
Williams, Robert K.; Graves, Ronald S.; and McElroy, David L.
Thermal conductivity of Cr_2O_3 in the vicinity of the Neel transition. (7) C151
Williams, Robert M.; Ezis, Andre; and Caverly, John C.
Properties of Si_3N_4 produced by nitriding slip-cast Si containing Si_3N_4 grog additions. (4) C64
Williams, Robert M.; Juterbock, Barbara N.; and Peters, Charles R.
Forming and sintering behavior of B- and C-doped α- and β-SiC. (4) C62
Williams, Wendell S. See Sharma, N. K.
Wimmer, James M. See Richerson, David W.
Wiseman, Gary H. See Seyferth, Dietmar
Witek, S.; and Smyth, Donald M.
Variability of the Sr:Ti ratio in $SrTiO_3$. (5) 372
Wolf, D.
Energy and structure of (001) coincident-site twist boundaries and the free (001) surface in MgO—a theoretical study. (1) 1
Wu, Carl Cm.; McKinney, Karl R.; and Lewis, David
Grooving and off-center crack effects on applied-moment double-cantilever-beam tests. (8) C166
Wu, Xigi See Viskanta, Raymond
Wu, Zhao-qi; and Young, J. Francis
Formation of calcium hydroxide from aqueous suspensions of tricalcium silicate. (1) 48
Wusirika, Raja
Problems associated with the melting of oxynitride glasses. (11) C232
Wynblatt, Paul See McCune, Robert C.
Yabe, Shigeki See Nogugai, Kohji
Yalvac, S.; and Hand, J. H.
Fracture of ceramic-polymer composite biomaterials. (3) 155
Yamada, Osamu See Miyamoto, Yoshinari
Yamashita, Kimihiro; Koumoto, Kunihito; and Yanagida, Hiroaki
Analogy between mechanical and dielectric strength distributions for $BaTiO_3$ ceramics. (2) C31
Yanagida, Hiroaki See Miyayama, Masaru; Yamashita, Kimihiro
Yao, P. C. See Little, J. A.
Yoko, Toshinobu; Kamiya, Kanichi; and Ishino, Yoshihiro
Copper-alkali ion exchange of alkali aluminosilicate glasses in molten CuCl—ion exchange controlled by the $Cu^{+} \rightarrow Cu^{2+}$ oxidation reaction in glass. (8) C154
Yokota, Ryosuke See Matusita, Kazumasa
Yoshimura, Masahiro See Jayaratna, Manikpurage; Somiya, Shigeyuki; Toraya, Hideo
Young, J. Francis See Wu, Zhao-qi
Yust, Charles S. See McHargue, C. J.
Zangvil, Avigdor See Knickerbocker, S. H.; Sharma, N. K.
Zawidzki, Tadeusz W.; Apte, P. S.; and Hoare, M. R.
Effect of sulfur on grain growth in UO_2 pellets. (5) 361
Zhang, Shi-chang; and Cannon, W. Roger
Preparation of silicon nitride from silica. (10) 691

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Nunbers in parentheses refer to *monthly* issue of the *Journal* and *Communications*; numbers following are *page* numbers.

Abrasion,
resistance, of field-assisted ion-exchanged glass (8) C160
Absorption,
NH_4^+, in fluoride glass ir fibers (11) C243
Acids,
HF, reaction of high-SiO_2 optical fibers with (2) C21
Additives,
Ti and Cl, for controlled crystallization of Si_3N_4 (7) C146
TiC, particles, for improvements in mechanical properties of SiC (8) 571
Aggregates,
CaO, CO_2-catalyzed surface area and porosity changes (7) 512
effect on sintering, of Al_2O_3 powders (9) 596
Alite,
cement, hydrated, effect of age on diffusion (4) 233
Alloys,
II-IV-V_2, semiconducting melt-quenched, characterization of (3) C41
Aluminum,
Si carbide, vaporization thermodynamics and enthalpy of formation (8) 575
molten, mechanical properties of sintered TiB_2 in (7) 490
Aluminum oxide,
and CaO-Al_2O_3 melt, interreaction between (1) 27
Na β''-, electrolytes, chemical polishing behavior (10) 696
Na β-, electrolytes, surface characteristics (10) 637
SiC-whisker-reinforced, toughening behavior in (12) C267
:Ti and :Zr, defect models for sintering and densification of (6) 390
-ZrO_2, powders, preparation by decomposition of solutions (5) C92
α-, enhanced densification of boehmite sol-gels by seeding with (11) C230
growth within transition matrix (5) C88
compacts, homogeneously packed, intermediate-stage sintering of (3) 174
damage in, erosion (11) 769
freeze-dried and spray-dried, effect of processing parameters on surface area (9) C172
-glass composites, hot-pressed, microstructural changes (3) C43
grain boundaries in, faceted (4) 292
grain growth, hindrance by ZrO_2 inclusions (3) 164
polycrystalline, Fe-doped, conductivity at high temps. (12) 810
high temp. failure of (11) 741; (11) 751; (11) 759
powders, agglomerated, sinterability of (2) 83
bimodally distributed, sintering (4) 238
effect of aggregates on sintering (9) 596
single-crystal, effect of surface condition on O_2 self-diffusion—comment (12) C269
effect of surface condition on O_2 self-diffusion—reply (12) C272
spray-dried, compaction behavior (3) 199
-steel joints, with thermal expansion mismatches, effect of interlayers (12) C256
strength, microstructural effects (4) C67
variability (6) 432
subjected to triaxial stresses, fracture criterion (8) 538
substructure, in vitreous SiO_2 (7) C150
in system ZrO_2-Al_2O_3-SiO_2-CaO, compatibility relations (1) C3
tubes, multiaxial loading fracture of (1) 14; (1) 18
Analysis,
ESR, of Cr and Mn in MgO (9) C173
TEM, of doped $C_3\bar{S}$ (5) 325
XRD, of $BaTiO_3$ doped with Yb (4) 289
of C_3S (5) 325
of monoclinic-stabilized cubic ZrO_2 (9) C183
creep, of band specimens subjected to tensile cracking (7) C144
dynamic fatigue, of indentation flaws, using exponential-law velocity function (10) C198
kinetic, of solid-state reactions between powdered reactants (9) 615
microscopic, of PZT (2) C29
morphological, of crystallite growth during annealing of ZnO (2) 136
quantitative, of system monoclinic-tetragonal ZrO_2, calibration curve for (6) C119
Raman, of Y_2O_3-stabilized ZrO_2 attack by molten Na vanadate (10) 686
spectrometric, of joint degradation in Si_3N_4 (8) 522
surface, of Synroc subjected to hydrothermal attack (3) 223
theoretical, of ring-on-ring loading disk test (9) 582
thermodynamic, of system U-Mo-O (9) 610
thermoelectric, of cation distributions in Fe_2O_3-$MgFe_2O_4$ (1) 69
Anisotropy,
thermal diffusivity, of SiC/BN composites (5) C83
Annealing,
low-temp., crystalline phase change in Y_2O_3-partially stabilized ZrO_2 (10) C212
Apatite,
high-strength, preparation of (11) C222
hydroxyl-, coatings on Ti, AES analysis (6) 381
Argon,
Ar^+, implantation, antireflective effects on soda-lime glass induced by (1) 39
Atmosphere,
effect on electrical conductivity, of Na tungstophosphate glasses (10) 654
Atoms,
H and D, in γ-irradiated SiO_2 (and quartz), ESR spectroscopic study (2) 99
behavior, at surface of K_2O·$3SiO_2$ glass (2) 133
Barium titanate,
-based dielectric, chemically inhomogeneous, temp. stable (4) 249
doped, with Yb, dielectric and XRD studies (4) 289
defect chemistry of (4) 285
glass-ceramics, semiconducting, barrier layers in (7) 484
strength distributions, analogy between mechanical and dielectric (2) C31
Batch,
$15Na_2CO_3$-$10BaCO_3$-$75SiO_2$, Raman study of grain size effects in melting behavior (12) 796
glass, effect of gas percolation on melting (5) 376
Binders,
polyethylene glycol-plasticized polyvinyl alcohol, effect of T_g on granule compaction (4) 301
Bioceramics,
apatite, high-strength, preparation of (11) C222
ceramic-polymer composite, fracture of (3) 155
Boehmite,
sol-gels, enhanced densification by α-Al_2O_3 seeding (11) C230
Borides,
TiB_2, electrical resistivities (11) 705
Boron,
B_4C, effect of stoichiometry on mechanical properties (1) C13
anomaly, summarization of glassy spectral data with reference to (5) 319
Brittle materials,
during conductive heat transfer, thermal-stress fracture of (6) 393
fracture, under thermoelastic stress (9) 589
lifetime, and rationalized load (3) C37
microcracking, crack-growth resistance of (4) 255
strength, ring-on-ring loading disk test (9) 582
Bubbles,
SO_2, in soda-containing glasses, disproportionation of (8) 564
formation, in oxide scales on SiC (1) C17
gas, freely rising in soda-lime silicate glass melt, velocity of (11) C244
Building materials,
panels, window glass, fracture mirror-failure stress relations in (11) C227
Cadmium,
CdO, sintering under low applied stress (10) C205
Calcining,
technique, rate-controlled (6) C102
Calcium,
$CaSO_4$, hydration reactions of C_3A with (12) 793
hydroxide, formation from C_3S suspensions (1) 48
segregation, to MgO surface—correction (1) 74
Calcium oxide,
aggregates, CO_2-catalyzed surface area and porosity changes (7) 512
and CO_2, effect of Li_2CO_3 on reaction between (4) 274
Carbides,
Al_4SiC_4, vaporization thermodynamics and enthalpy of formation (8) 575
Cements,
C_3A, hydration reactions with $CaSO_4$ (12) 793
C_3S, aqueous suspensions, formation of $Ca(OH)_2$ from (1) 48
doped, TEM and XRD study (5) 325
hydrating, X-ray scattering from (5) 315
Mg oxychloride, reactivity of calcined magnesites for, potentiometric study (9) 579
SiO_2-fume-modified (1) 61
alite, hydrated, effect of age on diffusion (4) 233
blended, pore structure damage caused by Hg intrusion (1) 30
systems, radioactive waste-portland, leaching characteristics (10) 674
radioactive waste-portland, radionuclide distribution (10) 668
Ceramics,
apatite, high-strength, preparation of (11) C222
fine-grained, containing liquid phase, mechanism of superplastic flow (6) 399
sintering, high-pressure self-combustion (11) C224
strength, variability (6) 432
subjected to phase transformations, microcrack nucleation (9) 626
ultralow-expansion, in system Na_2O-ZrO_2-P_2O_5-SiO_2 (5) C78
Chalcopyrite,
II-IV-V_2, semiconducting alloys, melt-quenched, characterization of (3) C41
Chemical properties,
durability, of fluorozirconate glasses (11) C238
Chemistry,
defect, of donor-doped $BaTiO_3$ (4) 285
thermo-, of charge-coupled substitutions in silicate glasses (9) 606
Chromium,
Cr_2O_3, Li-doped, O activity dependence of electrical conductivity (2) 146
deviation from stoichiometry at high pO_2 (6) C111
deviation from stoichiometry at high pO_2—correction (9) C192
thermal conductivity in vicinity of Neel transition (7) C151
oxide, doped, electronically conducting (7) 498
Coatings,
hydroxylapatite, on Ti, spectroscopic analysis (6) 381
for space shuttle tiles, impact behavior (8) 560
thermal barrier, life, oxidation-based model for (8) 517
Colloids,
$Si(OC_2H_5)_4$-H_2O-C_2H_5OH, with stabilized viscosity, fiberizable (10) C200
boehmite, enhanced densification by α-Al_2O_3 seeding (11) C230
flame hydrolysis, viscous sintering of (11) 709
systems, B_2O_3-SiO_2 and ZrO_2-SiO_2, dehydration of (12) C258
xerogels, diphasic, new class of materials—phases in system Al_2O_3-SiO_2 (7) 468
Compaction,
behavior, of spray-dried Al_2O_3 (3) 199
granule, effect of T_g of polyethylene glycol-plasticized polyvinyl alcohol on (4) 3C1
Compacts,
homogeneously packed, intermediate-stage sintering of (3) 174
powder, preparation of SiO_2 glass from (8) 526
stresses induced by differential sintering (5) 369
Composites,
Al_2O_3, -glass, hot-pressed, microstructural changes (3) C43
SiC, -BN, thermal diffusivity anisotropy (5) C83
SiC-whisker-reinforced Al_2O_3, toughening behavior (12) C267
ceramic, indentation method for measuring matrix-fiber frictional stresses (12) C259
Conductivity, electrical,
of Al_2O_3, Fe-doped polycrystalline, at high temps. (12) 810
of Cr_2O_3, Li-doped, O activity dependence (2) 146
of Li_2SiO_3 and γ-$LiAlO_2$ (6) 418
in SiO_2, vitreous (7) C150
of Y_2O_3, as function of water vapor pressure (12) 786
of glasses, Na tungstophosphate, effect of atm on (10) 654
max, in Na aluminoborate glass (7) C148
Conductivity, thermal,
of Cr_2O_3, in vicinity of Neel transition (7) C151
Conductors, electrical,
Cr oxides, doped (7) 498
Conductors, ionic,
containing P–O bonds, reaction of Na with (3) 204
Copper,
CuCl, molten, Cu-alkali ion exchange of aluminosilicate glasses in (8) C154
Cordierite,
amorphous, diffusion of deuterium in (12) 775
glass-ceramics, effect of crystallites on thermal shock resistance (11) C236
-type powders, glass, isothermal sintering of (8) 549
Cracking,
micro-, process-zone toughening by, simple calculation (1) C15
tensile, creep analysis of bend subjected to (7) C144
Cracks,
effect on water sorption, of glass (10) C218
failure times, in polycrystalline Al_2O_3 at high temps. (11) 759
growth, in SiO_2 glass under dynamic loading (1) 64
resistance of microcracking brittle materials to (4) 255
growth and blunting, in polycrystalline Al_2O_3 at high temps. (11) 751
indenter, residual stress effects on extension of, "compressed-spring" analog (10) C201

micro-, nucleation in ceramics subjected to phase transformation (9) 626
nucleation, in polycrystalline Al_2O_3 at high temp. (11) 741
off-center, effect on applied-moment double-cantilever beam tests (8) C166
penetration, at elongated machining grooves in hot-pressed Si_3N_4 (2) 127
in structural ceramics, theoretical model (8) 544
surface, mechanisms of failure in mixed-mode loading (2) 110
tip geometry, in SiO_2 glass, by electron microscopy (3) C36
of SiO_2 glass, observation by electron microscopy— comment (11) C253
of SiO_2 glass, observation by electron microscopy—reply (11) C254

Creep,
analysis, of bend specimens subjected to tensile cracking (7) C144
damage, of three-grain junctions, effects of voids (11) 727
high-temp., in SiC, kinetics and mechanisms (6) 409; (11) 732
of materials, liquid-phase-sintered, nucleation of cavities during (11) 721
viscous plane flow, driven by capillarity, results for (12) C262

Crystallites,
in glass-ceramics, cordierite, effect on thermal shock resistance (11) C236
growth, during annealing of ZnO, morphological analysis (2) 136

Crystallization,
of Si_3N_4, controlled by Ti and Cl additives (7) C146
of glasses, CaO-Ga_2O_3-SiO_2 (12) 806
of glass-ceramics, by epitaxial growth (9) 620
of grain-boundary phase, effect on thermal diffusivity of sialon (5) C85
unidirectional, preparation of high-strength Ca phosphate glass-ceramics by (7) C142

Crystallography,
of eutectics, directionally solidified NiO-CaO—comment (6) C127
directionally solidified NiO-CaO—reply (6) C128
lattice, modification, in ion-implanted ceramics (2) 117

Crystals,
Cs_2O-Al_2O_3-$2TiO_2$, in system Cs_2O-Al_2O_3-TiO_2, DTA and phase identification (3) C50
ZnO, growth by decomposition of Zn-EDTA (6) C98
clamping, in Pb titanate glass-ceramics (6) 424
whisker, β-SiC, fracture toughness (10) C219
whiskers, SiC, defects in (6) 428
SiC, from rice hulls, formation and structure (11) 715

Decomposition,
hydrothermal, of Zn-EDTA, crystal growth of ZnO by (6) C98
thermal, in system Si-Y-Al-O-N (9) 602

Defects,
inclusions, Fe-bearing in Si_3N_4, causes and effects of (9) C178
optical, in glasses, reaction of H with (5) C93
in whiskers, SiC (6) 428

Deformation,
behavior, of UO_2 >2000°C (3) 169

Dehydration,
of gels and glasses, in systems B_2O_3-SiO_2 and ZrO_2-SiO_2 (12) C258

Densification,
in UO_2, irradiated fuel (2) C24
of sol-gels, boehmite, enhancement by α-Al_2O_3 seeding (11) C230

Dental ceramics,
crown, Ca phosphate glass-ceramic (6) C100

Deposition,
CVD, dependence of equilibria on $SiCl_4$, $GeCl_4$, and O_2 (6) 420
particle, effect of variation in flame velocity profile on rate (4) C57

Deuterium,
deuteroxyl groups, in vitreous SiO_2 (10) C210
diffusion, in amorphous cordierite (12) 775

Devitrification,
of SiO_2, vitreous, effect of trace impurities on—correction (8) C170

Diagrams,
phase, of system Ga_2O_3-$Bi_{2-x}{}^{3+}Bi_x{}^{5+}O_{3+x}{}^{2-}$ (10) C195

Dielectric materials,
$BaTiO_3$-based, chemically inhomogeneous (4) 249
resonator, $(Zr,Sn)TiO_4$ and BaO-PbO-Nd_2O_3-TiO_2, microwave characteristics (4) 278

Dielectric properties,
of $BaTiO_3$, doped with Yb (4) 289
of Pb-Mg niobate (5) 311
of glasses, Na_2O·$3SiO_2$ with high water content (2) 106
strength distributions, for $BaTiO_3$, relation to mechanical properties (2) C31

Diffusion,
Na, of simulated nuclear waste glass (7) 463
O_2, in MgO-Al_2O_3 spinels, effect of ratio of surface area to volume—comment (12) C269
in MgO-Al_2O_3 spinels, effect of ratio of surface area to volume—reply (12) C272
in single-crystal Al_2O_3, effects of surface condition— comment (12) C269
in single-crystal Al_2O_3, effects of surface condition— reply (12) C272
in cement, hydrated alite, effect of age on (4) 233
of deuterium, in amorphous cordierite (12) 775
water, in SiO_2 glass, effect of stress (2) 151

Diffusivity,
thermal, of sialon, effect of crystallization of grain-boundary phase (5) C85
step-heating technique for measuring (3) 186

Drying,
technique, rate-controlled (6) C102

Ductility,
of glass-ceramics, β-spodumene (6) 385

Elasticity,
constants, of Y_2O_3-stabilized ZrO_2 (5) 341
of materials, porous and impregnated (2) 93
photo-, constants of borate glasses, compositional trends (4) 261
in silicate glasses (10) 700
-plastic indentation, geometric effects (1) 57

Electrical properties,
conductivity, of Fe-doped polycrystalline Al_2O_3 at high temps. (12) 810
resistivities, of monocrystalline and polycrystalline TiB_2 (11) 705

Electrolysis,
of glass, Na_2O-CaO silicate in water (7) 476
high-temp., compositional modification of hot-pressed Si_3N_4 by (7) 455

Electrolytes,
Na β''-Al_2O_3, chemical polishing behavior (10) 696
Na β-Al_2O_3, surface characteristics (10) 637

Electromotive force,
series, in borosilicate glass-forming melt (6) C106

Energy,
Gibbs free, of formation of Mg and Ca germanates at high temps. (9) 594
-loss measurements, quantitative electron, of system, ZrO_2-CaO (3) 227

Enthalpy,
formation, of Al_4SiC_4 (8) 575

Equations,
Adam-Gibbs, in analysis of structural relaxation in glass (7) 504
in analysis of structural relaxation in glass—correction (8) 578

Equilibrium,
in CVD process, dependence of $SiCl_4$, $GeCl_4$, and O_2 (6) 420

Erosion,
damage, in glass and Al_2O_3 (11) 769

Etching,
depth, effect on glass strength (8) C158

Eutectics,
NiO-CaO, directionally solidified, crystallography of—comment (6) C127
directionally solidified, crystallography of—reply (6) C128
(Ti,Zr) carbide-(Ti,Zr) diboride, directional solidification (3) 190

Expansion,
thermal, of ZrC (7) C139

Fatigue,
dynamic, analysis of indentation flaws (10) C198

Fiber,
E-glass, leaching (12) 778
SiC, toughening behavior of Al_2O_3 reinforced with (12) C267
from sols, $Si(OC_2H_5)_4$-H_2O-C_2H_5OH (10) C200

Fiber optics,
high-SiO_2, reaction with HF (2) C21
double-crucible, with high numerical apertures, new glasses for (10) 657
fracture, acoustic location of (6) C104
glass, silicate, effect of As_2O_3 on properties (2) 124

Films,
TiO_2-SiO_2, physical properties and structure (1) 52
antireflective, porous, on Na_2O-CaO-SiO_2 glass, development of (2) 142

Flames,
velocity profile, variation in, effect on particle deposition rate (4) C57

Flow,
creeping viscous plane, driven by capillarity, results for (12) C262
superplastic, in fine-grained ceramic containing liquid phase (6) 399

Formation,
of Mg and Ca germanates, at high temps., Gibbs free energies (9) 594
of glasses, Mg-Si-O-N (10) 643
of whiskers, SiC, from rice hulls (11) 715

Forming,
α- and β-SiC, B- and C-doped (4) C62

Fracture,
of Al_2O_3, at high temps. (11) 741
polycrystalline, at high temps. (11) 751; (11) 759
subjected to triaxial stresses, criterion for (8) 538
of Si_3N_4, hot-pressed, displacement rate and temp. effects (5) 365
behavior, of space shuttle thermal protection system— comment (5) C95
of space shuttle thermal protection system—reply (5) C96
of biomaterials, ceramic-polymer composite (3) 155
of brittle solids, under thermoelastic stress (9) 589
mechanics, of brittle materials (3) C37
mirror-failure stress relations, in weathered and unweathered window glass panels (11) C227
multiaxial loading, of Al_2O_3 tubes (1) 14; (1) 18
origin, in optical glass fibers, acoustic location of (6) C104
of plates, porous, under biaxial tension-compression (10) 648
properties, of clay-based whiteware, diamond indentation technique (2) C20
from surface flaws, in mixed-mode loading, mechanisms of (2) 110
thermal-stress, of brittle materials during conductive heat transfer (6) 393
toughness, of β-SiC whisker (10) C219
effect of grooving and cracks on beam test (8) C166
of partially stabilized ZrO_2, effects of particle distribution (12) 799

Friction,
internal, in Al_2O_3, Si_3N_4, and ZrO_2, temp. dependence (2) C23
in metaphosphate glasses (1) C9
tribological properties, of glass-ceramics (9) C180
of glass-ceramics—correction (11) C254

Fuels,
nuclear, U-Pu oxide, model for O potentials (8) 568
oxide, with controlled microstructure (9) 631

Gadolinium,
$GdSe_{1.49}$, polycrystalline, phase transformation and processing (10) 664

Germanates,
Mg and Ca, Gibbs free energies of formations at high temps. (9) 594

Glass,
B anomaly, summarization of spectral data with reference to (5) 319
Ba germanate, properties and morphology (8) 557
CaO-Ga_2O_3-SiO_2, crystallization of (12) 806
E-, leaching of (12) 778
K borate, electronic spectra and coordination of Ni^{2+} (2) C33
K_2O·$3SiO_2$, behavior of atoms at surface (2) 133
La_2O_3, properties and structure (12) 782
Mg-Al-Si-O-N, preparation and mechanical properties (11) C225
Mg-Si-O-N, formation and microstructure (10) 643
Na aluminoborate, conductivity max in (7) C148
Na borate, new (4) C71
Na tungstophosphate, effect of atm on electrical conductivity (10) 654
$20Na_2O$·$10RO$·xAl_2O_3·$(70-x)SiO_2$, leaching of (4) 281
Na_2O·$3SiO_2$, with high water content, dielectric properties (2) 106
Na_2O-B_2O_3, N-containing, preparation and properties (1) C10
Na_2O-CaO silicate, in water, electrolysis of (7) 476
Na_2O-CaO-SiO_2, development of porous antireflective films on (2) 142
effect of heating time on thermal stress resistance (10) 651
Pb/Mn/Ga fluoride, vibrational spectroscopy (7) C136
R_2O-B_2O_3-SiO_2 (R=Li, Na, K), determination of OH extinction coeffs. (4) 242
SiO_2, crack growth during dynamic loading (1) 64
crack tip geometry by electron microscopy (3) C36
crack-tip geometry, observed by electron microscopy— comment (11) C253
crack-tip geometry, observed by electron microscopy—reply (11) C254
effect of stress on water diffusion (2) 151
preparation from model powder compacts (8) 526; (8) 532
viscosity, torsion method for measuring (3) 213
Y-Si-Al-O-N, viscosities, transition temps., and microhardness (3) C46
ZrF_4-BaF_2-LaF_3, surface tension (10) C197
algorithm, for calculating fictive temp. (4) C56
alkali aluminosilicate, in molten CuCl, Cu-alkali ion exchange (8) C154
alkali silicate, and alkali aluminosilicate, dependence of Young's modulus on vol and structure (4) 270
alkali-Zn silicate, structure, by Raman spectroscopy (3) C47
alkaline-earth metaphosphate, property variation (6) 438
aluminosilicate, for waste immobilization, leaching model (8) 553
batches, $15Na_2CO_3$-$10BaCO_3$-$75SiO_2$, Raman study of grain size effects in melting behavior (12) 796
borate, compositional trends in photoelastic constants (4) 261
composition, statistically designed optimization of (11) 763
damage in, erosion (11) 769
defects in, optical, reaction of H with (5) C93
fluorozirconate, chemical durability (11) C238
transformation range viscosity (8) C164
formation, attemped, in $KHSO_4$ (2) C28
-forming melt, borosilicate, electromotive force series in (6) C106
grinding, damage, single-point and multipoint, comparison (5) 347
ion-exchanged, field-assisted, abrasion resistance (8) C160
melt, soda-lime-silicate, velocity of freely rising gas bubble in (11) C244
-melting, effect of gas percolation on batch (5) 376
-melts, alkali silicate, Na self-diffusion coeffs. (4) C54
metallic, in system Pd-Ni-P, properties of (11) C233
metaphosphate, internal friction in (1) C9
new class, for optical fibers with high numerical apertures (10) 657
nuclear waste, Na diffusion and leaching of (7) 463
comparison of leaching in both radiation-damaged and annealed samples (4) C69
hot isostatic pressing of (2) C26
oxynitride, N coordination in (4) C72
melting problems (11) C232
panels, window, fracture mirror-failure stress relations in (11) C227

porous, in system Na_2O-B_2O_3-Sc_2O_3, characterization and sintering (6) C116
powders, cordierite-type, isothermal sintering of (8) 549
relaxation, structural, Adam-Gibbs equation in analysis of (7) 504
structural, Adam-Gibbs equation in analysis of—correction (8) 578
silicate, effect of As_2O_3 on optical properties (2) 124
photoelastic effects in (10) 700
silicates, thermochemistry of charge-coupled substitutions in (9) 606
soda-containing, disproportionation of SO_2 bubbles in (8) 564
soda-lime, antireflective effects induced by Ar^+ implantation (1) 39
solubility of refractory oxides in (8) C155
soot samples, shrinkage, with hot-stage SEM (7) C140
specimens, effect of step size in loading tests (1) 43
strength, effect of etched depth (8) C158
systems, B_2O_3-SiO_2 and ZrO_2-SiO_2, dehydration of (12) C258
Na_2O-B_2O_3-Ga_2O_3, preparation and sintering (12) C264
temp., fictive, algorithm for calculating (4) C56
water sorption, effect of cracks on (10) C218

Glass fibers,
fluoride, ir, NH_4^+ absorption in (11) C243

Glass-ceramics,
$BaTiO_3$, semiconducting, barrier layers in (7) 484
Ca phosphate, dental crown (6) C100
preparation by unidirectional crystallization (7) C142
Pb titanate, crystal clamping in (6) 424
cordierite, effect of crystallites on thermal shock resistance (11) C236
crystallization, by epitaxial growth (9) 620
grain-oriented, for piezoelectric devices (5) 331
porous, in system Na_2O-B_2O_3-Ga_2O_3, preparation and sintering (12) C264
properties of, tribological (9) C180
tribological—correction (11) C254
β-spodumene, effect of pressure and humidity on ductility (6) 385
systems, simple, properties of (7) 445
willemite, effect of thermal history on properties—comment (1) C18

Grain boundaries,
coincidence twist, in rock-salt-structured oxides, general structure for (9) C176
faceted, in Al_2O_3 (4) 292
resistivity, in Y_2O_3-stabilized ZrO_2, dependence on grain-boundary density (10) C194

Grain growth,
in Al_2O_3, hindrance by ZrO_2 inclusions (3) 164
in pellets, UO_2, effect of S (5) 361

Grinding (material removal),
damage, single-point and multipoint, in glass, comparison (5) 347

Hardness,
micro-, of Y-Si-Al-O-N glasses (3) C46

Heat,
capacity, of Na_2SiO_3 liquids (1) C6
conductive, thermal-stress fracture of brittle materials during (6) 393

Heating,
time, effect on thermal stress resistance of Na_2O-CaO-SiO_2 glass (10) 651

Hydration,
early, of C_3A in solutions containing $CaSO_4$, kinetics of (12) 793

Hydroxides,
Ca, formation from C_2S aqueous suspensions (1) 48
extinction coeffs., in R_2O-B_2O_3-SiO_2 (R=Li, Na, K) glasses, determination of (4) 242

Immiscibility,
liquid, in systems Na_2O-Yb_2O_3-B_2O_3-SiO_2 and K_2O-Yb_2O_3-B_2O_3-SiO_2 (9) C186

Impact,
behavior, of coated space shuttle thermal protection tiles (8) 560

Impurities,
oxide, removal from SiC powders (9) C184
trace, effect on densification of vitreous SiO_2—correction (8) C170
effect on viscosity of vitreous SiO_2—correction (8) C170

Indentation,
damage, in hot-pressed and CVD ZnS (9) C188
elastic/plastic, geometric effects in (1) 57
flaws, dynamic fatigue analysis (10) C198
residual stress effects on extension, "compressed-spring" analog (10) C201

Infrared,
fibers, fluoride glass, NH_4^+ absorption in (11) C243

Insulation, thermal,
for space shuttle, fracture behavior—comment (5) C95
fracture behavior—reply (5) C96
coating, life of, oxidation-based model (8) 517
for space shuttle tiles, impact behavior (8) 560

Ions,
Cr and Mn, in MgO, ESR measurement (9) C173
Cu-alkali, exchange of alkali aluminosilicate glasses in molten CuCl (8) C154
K, excess at surface of K_2O·$3SiO_2$ glass (2) 133
Ti^{3+} and Fe^{2+}, occurrence in mullite (11) C248
cation, distributions in Fe_2O_3-$MgFe_2O_4$, thermoelectric determination (1) 69
valence in VO_x (5) C86
exchange, field-assisted in type III SiO_2 (11) C250
-implanted ceramics, lattice modification in (2) 117

Iron,
-bearing inclusions, in sintered Si_3N_4, causes and effects of (9) C178

Joints,
Si_3N_4, high-temp. chemical phenomena affecting (8) 522
ceramic-metal, with thermal expansion mismatches, effects of interlayers (12) C256

Junctions,
three-grain, effects of voids on sintering and creep damage (11) 727

Kinetics,
creep, in SiC at high temp. (11) 732
high-temp., in SiC (6) 409
of hot-pressing, semilogarithmic law (4) 245
hydration, of C_3A in solutions containing $CaSO_4$ (12) 793
reaction, preparation of specimens for studying, plasma spraying of couples (12) C261

Lanthanum,
$LaCrO_3$, Mg-doped, defect structure and thermogravimetric measurements (3) 195

Leaching,
characteristics, of radionuclide waste-portland cement systems (10) 674
glass, E- (12) 778
with mol composition $20Na_2O$·xAl_2O_3·$(70-x)SiO_2$ (4) 281
of glasses, aluminosilicate waste immobilization, model for (8) 553
short-term, in radiation-damaged and annealed nuclear waste glasses (4) C69

Lead,
PZT, microscopic characterization (2) C29
preparation with cupferron (1) C2
titanate, glass-ceramics, crystal clamping (6) 424

Lime,
$CaCO_3$-derived, reactive-phase calsintering of (6) C109

Liquids,
$NaSiO_3$, heat capacity (1) C6

Lithium,
Li_2CO_3, effect on reaction between CaO and CO_2 (4) 274
Li_2SiO_3 and γ-$LiAlO_2$, electrical conductivity (6) 418

Machining,
grooves, in hot-pressed Si_3N_4, damage penetration (2) 127

Magnesite,
calcined, for Mg oxychloride cements, reactivity of (9) 579

Magnesium,
oxychloride, phases, formation in system MgO-$MgCl_2$-H_2O and NaOH-$MgCl_2$-H_2O (4) 266

Magnesium oxide,
Cr and Mn concentrations, ESR measurement (9) C173
free surface in, theoretical study (1) 1
high-purity, hot-pressing of (7) 450
refractories, pitch-bonded, oxidation and diffusion in (7) 480
twist boundaries and free surface, energy and structure of (1) 1

Materials for engineering,
Al_2O_3, Si_3N_4, and ZrO_2, temp. dependence of Young's modulus and internal friction (2) C23
faceted grain boundaries in (4) 292
Si_3N_4, compositional modification by electrolysis (7) 455
hot-pressed, properites of—comment (4) C75
hot-pressed, properties of—reply (4) C67
impact damage, theoretical model of (8) 544
ion-implanted, lattice modification (2) 117
system, Na_2O-ZrO_2-P_2O_5-SiO_5, ultralow-expansion ceramics in (5) C78
thermal protection system, for space shuttle, fracture behavior—comment (5) C95
for space shuttle, fracture behavior—reply (5) C96

Materials,
impregnated, elasticity and damping of (2) 93
liquid-phase-sintered, nucleation of cavities during creep (11) 721

Measurement,
diffusivity, thermal, step-heating technique for (3) 186
electron energy-loss, of system ZrO_2-CaO (3) 227

Mechanical properties,
of B_4C, effect of stoichiometry on (1) C13
of Si_3N_4, produced by nitriding Si containing Si_3N_4 grog additions (4) C64
of SiB_2, sintered, in molten Al (7) 490
of SiC, improved by addition of TiC particles (8) 571
fracture mirror-failure stress relations, in weathered and unweathered window glass panels (11) C227
of glasses, Mg-Al-Si-O-N (11) C225

Melting,
batches, $15Na_2CO_3$-$10BaCO_3$-$75SiO_2$, Raman study of grain size effects (12) 796
glass-, effect of gas percolation (5) 376
glasses, oxynitride, problems with (11) C232

Melts,
CaO-Al_2O_3, and Al_2O_3, interreaction (1) 27
Li/K carbonate, eutectic, metal oxide solubility in (7) 460
glass, soda-lime silicate, velocity of freely rising gas bubble in (11) C244
glass-, alkali silicate, Na self-diffusion coeffs. (4) C54
borosilicate, electromotive force series in (6) C106

Mercury,
intrusion, in blended cements, pore structure damage caused by (1) 30

Metals,
solubility, in TiC_{1-x} (1) 34

Microscopy,
electron, observation of crack-tip geometry of SiO_2 glass by—comment (11) C253
observation of crack-tip geometry of SiO_2 glass by—reply (11) C254
of powders, SiC, synthesized from SiO_2 and pitch (6) C121

Migration,
He, in alkaline-earth metaphosphate glasses (6) 438

Mixing,
of suspensions, flocced (8) C169

Models,
$LaCrO_3$, Mg-doped, defect structure and thermogravimetric measurements (3) 195
defect, for sintering and densification of Al_2O_3:Ti and Al_2O_3:Zr (6) 390
oxidation-based, for thermal barrier coating life (8) 517
sintering, viscous, of bimodal pore-size distribution (11) 709
statistical, for optimization of glass composition (11) 763
theoretical, of impact damage in structural ceramics (8) 544

Morphology,
of glasses, Ba germanate (8) 557

Mullite,
Ti^{3+} and Fe^{2+} in, occurrence of (11) C248
sintering and microstructure, effect of TiO_2 on (7) C134
solid solubility of Na_2O in (7) C130

Nickel,
Ni^{2+}, in K borate glass and melt, electronic spectra and coordination (2) C33

Niobates,
Pb-Mg, dielectric properties (5) 311

Nitrogen,
-containing glasses, Na_2O-B_2O_3, preparation and properties (1) C10
coordination, in oxynitride glasses (4) C72

Nuclear materials,
U-Pu oxide, model for O potentials (8) 568
UO_2, deformation behavior (3) 169
irradiated fuel, densification in (2) C24
pellets, effect of S on grain growth (5) 361
fuel elements, UO_2, release of short-lived fission products from (8) C161
fuels, oxide, with controlled microstructure (9) 631
systems, U-Mo-O, thermodynamic study (9) 610
waste-portland cement systems, radionuclide distribution in (10) 668
wastes, Na diffusion and leaching of glass for (7) 463
forms, titanate, processing microstructure (5) 354
hot isostatic pressing of glasses for (2) C26
leaching model of aluminosilicate glasses for immobilizing (8) 553
optimization of glass composition for (11) 763
radiation-damaged and annealed glasses for, comparison of short-term leaching (4) C69

Nucleation,
of cavities, during creep of liquid-phase-sintered materials (11) 721
microcrack, in ceramics subjected to phase transformation (9) 626

Optical properties,
of glasses, silicate, effect of As_2O_3 on (2) 124

Oxidation,
of Si_3N_4, zyttrite-doped (2) 89
of refractories, MgO (7) 480
thermal, of reaction-bonded Si_3N_4 (5) 335

Oxides,
Cr, electronically conducting (7) 498
U-Pu, model for O potentials (8) 568
contamination, removal from SiC powders (9) C184
metal, solubility in eutectic Li/K carbonate melts (7) 460
refractory, solubility in soda-lime glass (8) C155
rock-salt-structured, general structure for coincidence twist grain boundaries (9) C176
scales, on SiC, bubble formation in (1) C17
solid solutions, internal reactions in (10) 679

Oxygen,
activity, dependence of electrical conductivity of Li-doped Cr_2O_3 on (2) 146
fugacity, effect on phase equilibria of Synroc (2) 75
potentials, of mixed U-Pu oxide, model for (8) 568
self-diffusion, in MgO-Al_2O_3 spinels, effect of ratio of surface area to volume—comment (12) C269
in MgO-Al_2O_3 spinels, effect of ratio of surface area to volume—reply (12) C272

Particles,
β-SiC, hexagonal (2) 103
deposition, effect of variation in flame velocity profile on rate (4) C57
distribution, effect on transformation-induced toughening of MgO-PSZ (12) 799
rotation, in early sintering (10) C215

Perovskites,
structure, dielectric resonator with (4) C59

Phase equilibria,
of Synroc, effect of O_2 fugacity (2) 75
relations, in system Na_2O-Li_2O-Al_2O_3 (3) 183
in system ZrO_2-Y_2O_3 at low Y_2O_3 contents (9) C190
systems, La_2O_3-P_2O_5 (1) 23
Mg cordierite-Co cordierite (8) C163
ZrO_2-$YO_{1.5}$-$CrO_{1.5}$, subsolidus phase relations in air (11) C240

Phases,
crystal, of ZrO_2, precipitated, effect of pH (8) C168

crystalline, change in Y_2O_3-partially-stabilized ZrO_2 by low-temp. annealing (10) C212
in system ZrO_2-P_2O_5, revision of (5) C80
Physical properties,
of films, in system TiO_2-SiO_2 (1) 52
Physicochemical properties,
of Ti diboride, plasma-synthesized (3) 207
of glass-ceramics, willemite, effect of thermal history— comment (1) C18
of glasses, Ba germanate (8) 557
La_2O_3 (12) 782
N-containing Na_2O-B_2O_3 (1) C10
metallic, in system Pd-Ni-P (11) C233
Piezoelectric materials,
glass-ceramics for, grain-oriented (5) 331
Polishing,
chemical, behavior of Na β''-Al_2O_3 electrolytes (10) 696
Pores,
channels, dihedral angle effects on stability (6) C124
Porosity,
changes, in CaO aggregates (7) 512
Porous materials,
elasticity and damping of (2) 93
glass, in system Na_2O-B_2O_3-Sc_2O_3, characteristics and sintering (6) C116
plates, fracture under biaxial tension-compression (10) 648
Potassium,
$KHSO_4$, attempted glass formation in (2) C28
Powders,
Al_2O_3, -ZrO_2, preparation by evaporation decomposition of solutions (5) C92
bimodally distributed, sintering (4) 238
effect of aggregates on sintering (9) 596
sinterability (2) 83
Si_3N_4, shocked, hot isostatic pressing of (3) C51
SiC, from colloidal SiO_2 and pitch, microscopy (6) C121
removal of oxide contamination from (9) C184
TiO_2, monosized doped, synthesis and properties (6) C113
glass, cordierite-type, isothermal sintering of (8) 549
reactants, kinetic analysis of solid-state reactions between (9) 615
suspensions, flocced, mixing of (8) C169
Precipitation,
cupferron, preparation of PZT with (1) C2
Pressing,
hot isostatic, effect on reaction-bonded Si_3N_4 (10) C208
hot-, of shocked Si_3N_4 powder (3) C51
hot-, kinetics of, semilogarithmic law (4) 245
Pressure,
water vapor, effect on electrical conductivity and defect structure (12) 786
Reactions,
of Al_2O_3, with CaO-Al_2O_3 melt (1) 27
between CaO and CO_2, effect of Li_2CO_3 on (4) 274
of H, with optical defects in glasses (5) C93
of Na, with ionic conductors containing P–O bonds (3) 204
internal, in oxide solid solutions (10) 679
kinetics, preparation of specimens for studying, plasma spraying of couples (12) C261
solid-state, between TiC and Ti metal (5) 305
between powdered reactants, kinetic analysis of (9) 615
Reactivity,
of magnesites, calcined, for Mg oxychloride cements, potentiometric study (9) 579
Reflection,
anti-, effects on soda-lime glass induced by Ar^+ implantation (1) 39
Refractories,
MgO, high-purity, hot-pressing of (7) 450
pitch-bonded, oxidation and diffusion in (7) 480
oxides, solubility in soda-lime glass (8) C155
Relaxation,
structural, in glass, Adam-Gibbs equation in analysis of (7) 504
in glass, Adam-Gibbs equation in analysis of—correction (8) 578
Resistance,
abrasion, of field-assisted ion-exchanged glass (8) C160
Resistivity, electrical,
of TiB_2 (11) 705
Resonators,
dielectric, (Zr,Sn)TiO_4 and BaO-PbO-Nd_2O_3-TiO_2, microwave characteristics (4) 278
with perovskite structure (4) C59
Scattering,
X-ray, from hydrating C_3S (5) 315
Segregation,
Ca, to MgO surface—correction (1) 74
Selenides,
$GdSe_{1.49}$, polycrystalline, phase transformation and processing (10) 664
Semiconductors,
alloys, II-IV-V_2 chalcopyrite, melt quenched, characterization of (3) C41
glass-ceramics, $BaTiO_3$, barrier layers in (7) 484
Shock resistance,
thermal, of cordierite glass-ceramics, effect of crystallites on (11) C236
Shrinkage,
of glass soot samples, with hot-stage SEM (7) C140
pore, and sintering stress (10) C214
during sintering (10) C215
Sialons,
β-, synthesis from montmorillonite-polyacrylonitrile (11) C247
thermal diffusivity, effect of crystallization of grain-boundary phase (5) C85
Silicates,
glasses, photoelastic effects in (10) 700
Silicon,
$Si(OC_2H_5)_4$-H_2O-C_2H_5OH, fiberizable sols with stabilized viscosity (10) C200
Silicon carbide,
-BN composites, thermal diffusivity anisotropy of (5) C83
α- and β-, B- and C-doped, forming and sintering behavior (4) C62
β-whisker, fracture toughness (10) C219
creep, high-temp., kinetics and mechanisms (6) 409; (11) 732
mechanical properties, improved by addition of TiC particles (8) 571
oxide scales, bubble formation in (1) C17
powder, from SiO_2 and pitch, microscopy (6) C121
powders, removal of oxide contamination from (9) C184
whiskers, defects in (6) 428
from rice hulls, formation and structure (11) 715
Silicon dioxide,
type III, field-assisted ion exchange in (11) C250
fibers, optical, reaction with HF (2) C21
-fume-modifed cements, of varied fineness (1) 61
glass, crack growth during dynamic loading (1) 64
crack tip geometry by electron microscopy (3) C36
effect of stress on water diffusion (2) 151
observation of crack-tip geometry by electron microscopy—comment (11) C253
observation of crack-tip geometry by electron microscopy—reply (11) C254
preparation from model powder compacts (8) 526; (8) 532
glasses, viscosity, torsion method for measuring (3) 213
γ-irradiated, kinetic behavior of H and D atoms (2) 99
preparation of Si_3N_4 from (10) 691
vitreous, Al_2O_3 substructure and electrical conductivity in (7) C150
deuteroxyl groups in (10) C210
devitrification of, effect of trace impurities on—correction (8) C170
viscosity of, effect of trace impurity levels on—correction (8) C170
Silicon nitride,
10 wt% zyttrite-, microstructure, strength, and oxidation of (7) 516
-SiC, synthesis by pyrolysis of polyorganosilazane (7) C132
amorphous, controlled crystallization by Ti and Cl additives (7) C146
hot-pressed, damage penetration at elongated machining grooves (2) 127
displacement rate and temp. effect in fracture of (5) 365
modification by electrolysis (7) 455
properties of—comment (4) C75
properties of—reply (4) C76
strength after high-temp. exposure (7) 471
joints, high-temp. chemical phenomena affecting (8) 522
powder, shocked, hot isostatic pressing of (3) C51
preparation, from SiO_2 (10) 691
produced by nitriding Si containing Si_3N_4 grog additions, properties of (4) C64
reaction-bonded, effects of hot isostatic pressing on (10) C208
thermal oxidation of (5) 335
sintered, causes and effects of Fe-bearing inclusions (9) C178
zyttrite-doped, microstructure, strength, and oxidation (2) 89
Sintering,
Al_2O_3:Ti and Al_2O_3:Zr, defect model for (6) 390
CdO, under low applied stress (10) C205
Nasicons (3) 179
Ti diboride, plasma-synthesized (3) 207
behavior, of B- and C doped α- and β-SiC (4) C62
cal-, reactive-phase, of $CaCO_3$-derived lime (6) C109
creeping viscous plane flow, driven by capillarity, results for (12) C262
differential, of powder compacts, stresses induced by (5) 369
early, particle rotation in (10) C215
glass, SiO_2, prepared from powder compacts (8) 532
glass-ceramics, porous, in system Na_2O-B_2O_3-Ga_2O_3 (12) C264
glasses, porous, in system Na_2O-B_2O_3-Sc_2O_3 (6) C116
intermediate-stage, of homogeneously packed compact (3) 174
isothermal, of cordierite-type glass powders (8) 549
junctions, three-grain, effects of voids (11) 727
of mullite, effect of TiO_2 on (7) C134
powders, Al_2O_3 (2) 83
Al_2O_3, effect of aggregates (9) 596
bimodally distributed Al_2O_3 (4) 238
self-combustion, high-pressure, for ceramics (11) C224
stress, pore shrinkage and (10) C214
viscous, of bimodal pore-size distribution (11) 709
Sodium,
Na_2O, solid solubility in mullite (7) C130
Nasicons, synthesis, sintering, and microstructure (3) 179
reactions, with ionic conductors containing P–O bonds (3) 204
self-diffusion coeffs., in alkali silicate glass melts (4) C54
silicate, liquids, heat capacity (1) C6
vanadate, molten, Y_2O_3-stabilized ZrO_2 attack by, Raman spectroscopic study (10) 686
Solid state,
reactions, between powdered reactants, kinetics (9) 615
Solidification,
directional, of (Ti,Zr) carbide-(Ti,Zr) diboride eutectics (3) 190
Solubility,
metal oxide, in eutectic Li/K carbonate melts (7) 460
of metals, in TiC_{1-x} (1) 34
of oxides, refractory, in soda-lime glass (8) C155
solid, of Na_2O in mullite (7) C130
Solutions, solid,
oxide, internal reactions in (10) 679
Solutions,
decomposition of, evaporative, preparation of Al_2O_3-ZrO_2 powders by (5) C92
Sorption,
water, of glass, effect of cracks on (10) C218
Spacecraft,
shuttle, thermal protection system, fracture behavior—comment (5) C95
thermal protection system, fracture behavior—reply (5) C96
Spectra,
electronic, of Ni^{2+} in K borate glass and melt (2) C33
glassy, summarization of data with reference to B anomaly (5) 319
Spectroscopy,
ESR, of H and D atoms in SiO_2 (2) 99
Raman, of melting behavior of 15Na_2CO_3-10$BaCO_3$-75SiO_2 batches with different grain sizes (12) 796
structure of alkali-Zn silicate glasses by (3) C47
vibrational, of Pb/Mn/Ga fluoride glasses (7) C136
Spinels,
MgO-Al_2O_3, effect of ratio of surface area to volume on O_2 self-diffusion—comment (12) C269
effect of ratio of surface area to volume on O_2 self-diffusion—reply (12) C272
Spodumene,
glass-ceramics, effect of pressure and humidity on ductility (6) 385
Stability,
of pore channels, dihedral angle effects on (6) C124
Stoichiometry,
of B_4C, effect on mechanical properties (1) C13
deviation from, in Cr_2O_3 at high pO_2 (6) C111
in Cr_2O_3 at high pO_2—correction (9) C192
Strength,
of 10 wt% zyttrite-Si_3N_4 (7) 516
of Al_2O_3, effect of erosion damage (11) 769
microstructural effects using controlled flaws (4) C67
variability (6) 432
of Si_3N_4, hot-pressed, after high-temp. exposure (7) 471
zyttrite-doped (2) 89
of brittle materials, ring-on-ring loading disk test (9) 582
distributions, for $BaTiO_3$, analogy between mechanical and dielectric (2) C31
fracture, of β-SiC whisker (10) C219
of glasses, effect of erosion damage (11) 769
effect of etched depth (8) C158
Strengthening,
Al_2O_3, SiC-whisker-reinforced (12) C267
process-zone, by microcracking, simple calculation of (1) C15
transformation-induced, in MgO-PSZ, effects of particle distribution (12) 799
Stresses,
frictional, between matrix and fibers in composites, method for measuring (12) C259
induced by differential sintering, in powder compacts (5) 369
internal, from thermal expansion mismatch between Al_2O_3 and steel, effects of interlayers (12) C256
low applied, sintering CdO under (10) C205
residual, effects on extension of indenter flaws, "compressed-spring" analog for (10) C201
sintering, pore shrinkage and (10) C214
thermal, resistance of Na_2O-CaO-SiO_2 glass, effect of heating time (10) 651
thermoelastic, fracture of brittle solids in presence of (9) 589
triaxial, fracture criterion for Al_2O_3 subjected to (8) 538
Strontium,
$SrTiO_3$, Sr:Ti ratio variability (5) 372
:Ti ratio, in $SrTiO_3$, variability (5) 372
Structure,
defect, of Mg-doped $LaCrO_3$ model (3) 195
of Y_2O_3, as function of water vapor pressure (12) 786
of films, in system TiO_2-SiO_2 (1) 52
general, for coincidence twist grain boundaries in rock-salt-structured oxides (9) C176
of glasses, La_2O_3 (12) 782
alkali silicate and alkali aluminosilicate, dependence of Young's modulus on (4) 270
alkali-Zn silicate, by Raman spectroscopy (3) C47
of mullite, effect of TiO_2 on (7) C134
perovskite, dielectric resonator with (4) C59
pore, damage in blended cements caused by Hg intrusion (1) 30
of twist boundaries, in MgO, theoretical study (1) 1
of whiskers, SiC, from rice hulls (11) 715
Structure, micro-,
of 10 wt% zyttrite-Si_3N_4 (7) 516
of Al_2O_3, effects in strength of, using controlled flaws (4) C67
of Nasicons (3) 179
of Si_3N_4, zyttrite-doped (2) 89
of composites, Al_2O_3-glass, hot-pressed (3) C43
controlled, oxide fuel pellets with (9) 631
of glasses, Mg-Si-O-N (10) 643
Sulfides,
ZnS, hot-pressed and CVD, contact damage in (9) C188
Sulfur,
SO_2, bubbles in soda-containing glasses (8) 564
Surface,
MgO, Ca segregation to—correction (1) 74
area, of freeze-dried and spray-dried Al_2O_3 (9) C172
characteristics, of Na β-Al_2O_3 electrolytes (10) 637

condition, effect on O_2 self-diffusion in Al_2O_3—comment (12) C269
effect on O_2 self-diffusion in Al_2O_3—reply (12) C272
tension, of ZrF_4-BaF_2-LaF_3 glass (10) C197
Suspensions,
flocced, mixing of (8) C169
Synroc,
phase equilibria, effect of O_2 fugacity (2) 75
subjected to hydrothermal attack, surface analytical study (3) 223
Synthesis,
of Nasicons (3) 179
of Si_3N_4/SiC, by pyrolysis of polyorganosilazane (7) C132
of ZrO_2, ultrafine monoclinic (10) C204
of β-, from montmorillonite-polyacrylonitrile (11) C247
of powders, monosized doped TiO_2 (6) C113
Systems,
Al_2O_3-SiO_2, diphasic xerogels, a new class of materials (7) 468
Cs_2O-Al_2O_3-TiO_2, $Cs_2O{\cdot}Al_2O_3{\cdot}2TiO_2$ in, DTA and phase identification (3) C50
Fe_2O_3-$MgFe_2O_4$, cation distributions, thermoelectric determination (1) 69
Ga_2O_3-$Bi_{2-x}^{3+}Bi_x^{5+}O_{3+x}^{2-}$, phase diagram (10) C195
La_2O_3-P_2O_5, phase equilibria (1) 23
Mg cordierite-Co cordierite (8) C163
MgO-MgCl-H_2O and NaOH-$MgCl_2$-H_2O, formation of Mg oxychloride phases in (4) 266
Na_2O-Li_2O-Al_2O_3, phase relations (3) 183
Na_2O-Yb_2O_3-B_2O_3-SiO_2 and K_2O-Yb_2O_3-B_2O_3-SiO_2, liquid immiscibility in (9) C185
Na_2O-ZrO_2-P_2O_5-SiO_2, ultralow-expansion ceramics in (5) C78
Pd-Ni-P, properties of metallic glasses in (11) C233
Si-Y-Al-O-N, thermal decomposition in (9) 602
U-Mo-O, thermodynamic studies in (9) 610
ZrO_2-Al_2O_3-SiO_2-CaO, compatibility relations of Al_2O_3 (1) C3
ZrO_2-CaO, electron energy-loss measurements of (3) 227
ZrO_2-P_2O_5, revision of crystalline phases (5) C80
ZrO_2-Y_2O_3, at low Y_2O_3 contents, phase relations (9) C190
ZrO_2-$YO_{1.5}$-$CrO_{1.5}$, subsolidus phase relations in air (11) C240
glass/ceramic, simple, properties of (7) 445
monoclinic-tetragonal ZrO_2, quantitative analysis, calibration curve for (6) C119
Temperature,
T_g, of polyethylene glycol-plasticized polyvinyl alcohol, effect on granule compaction (4) 301
dependence, of Young's modulus and internal friction in Al_2O_3, Si_4N_4, and ZrO_2 (2) C23
fictive, algorithm for calculating (4) C56
Tension,
surface, of ZrF_4-BaF_2-LaF_3 glass (10) C197
Tests,
acoustic, for loading fracture origin in optical glass fibers (6) C104
applied-moment double-cantilever, grooving and off-center crack effects on (8) C166
disk, ring-on-ring loading, theoretical analysis of (9) 582
indentation, diamond, for fracture properties of clay-based whiteware (2) C20
for measuring matrix-fiber frictional stresses in composites (12) C259
loading, on glass specimens, effect of step size (1) 43
mixed-mode loading, mechanisms of failure from surface flaws in (2) 110
reaction kinetics, preparation of samples, plasma spraying of couples (12) C261
tension-compression, biaxial, fracture of porous plates in (10) 648
Thermal properties,
conductivity/diffusivity, radiative, of transparent materials, role of view factor (5) C90
decomposition, in system Si-Y-Al-O-N (9) 602
expansion, of ZrC (7) C139
in alkaline-earth metaphosphate glasses (6) 438
expansion mismatch, in ceramic-metal joints, effect of interlayers (12) C256
Thermodynamics,
of formation, of silicate glasses (9) 606
of systems, U-Mo-O (9) 610
vaporization, of Al_4SiC_4 (8) 575
Tile,
thermal insulation, for space shuttle, impact behavior of coating (8) 560
Titanates,
$SrTiO_3$, Sr:Ti ratio variability (5) 372
crystalline, nuclear waste forms, processing and microstructure (5) 354
Titanium,
TiB_2, high-pressure self combustion sintering of (11) C224
monocrystalline and polycrystalline, electrical resistivities (11) 705
sintered, mechanical properties in molten Al (7) 490
TiC_{1-x}, solubility of metals in (1) 34
coatings on, hydroxylapatite, spectroscopic analysis (6) 381
diboride, plasma-synthesized, sintering and properties (3) 207
metal, and TiC, solid-state reaction between (5) 305
Titanium carbide,
and Ti metal, solid-state reaction between (5) 305
particles, additives for improving mechanical properties in SiC (8) 571
substoichiometric, solubility of metals in (1) 34
Titanium dioxide,
effect on sintering and microstructure, of mullite (7) C134
powders, nanosized doped, synthesis and properties (6) C113
Transformations,
phase, microcrack nucleation in ceramics subjected to (9) 626
of polycrystalline $GdSe_{1.49}$ (10) 664
Transitions,
Neel, thermal conductivity of Cr_2O_3 in vicinity of (7) C151
Transparent materials,
thermal conductivity/diffusivity, radiactive, role of view factor (5) C90
Tubes,
Al_2O_3, multiaxial loading fracture of (1) 14; (1) 18
Uranium,
UO_2, deformation behavior (3) 169
intact and defected fuel elements, release of short-lived fission products from (8) C161
irradiated fuel, densification in (2) C24
pellets, effect of S on grain growth (5) 361
Vanadium,
VO_x, cation valence in (5) C86
Velocity,
of bubbles, freely rising gas in soda-lime silicate glass melt (11) C244
Viscosity,
of SiO_2, vitreous, effect of trace impurity levels on— correction (8) C170
equal cylinders, coalescence under influence of capillarity (12) C262
of glasses, SiO_2, torsion method for measuring (3) 213
Y-Si-Al-O-N (3) C46
transformation range, of fluorozirconate glasses (8) C164
Volume,
in glasses, alkali silicate and alkali aluminosilicate, dependence of Young's modulus on (4) 270
Wastes,
nuclear, crystalline titanate ceramics for (5) 354
hot isostatic pressing of glasses for (2) C26
leaching model of aluminosilicate glasses for immobilizing (8) 553
optimization of glass composition for (11) 763
Water,
deuteroxyl groups, in vitreous SiO_2 (10) C210
sorption, of glass, effect of cracks on (10) C218
Whiteware,
clay-based, fracture properties, diamond indentation test (2) C20
Willemite,
glass-ceramic, effect of thermal history on properties— comment (1) C18
Yttrium,
Y_2O_3, electrical conductivity and defect structure as function of water vapor pressure (12) 786
Zinc,
ZnO, annealing, morphological analysis of growth of crystallites (2) 136
crystal growth by hydrothermal decomposition of Zn-EDTA (6) C98
ZnS, hot-pressed and CVD, contact damage in (9) C188
Zirconium,
ZrC, thermal expansion (7) C139
Zirconium dioxide,
Y_2O_3-stabilized, elastic constants of (5) 341
MgO-PSZ, effects of particle distribution on transformation-induced toughening (12) 799
Y_2O_3-partially stabilized, crystalline phase changes by low-temp. annealing (10) C212
Y_2O_3-stabilized, attack by molten Na vanadate, in situ Raman spectroscopic study (10) 686
dependence of grain-boundary resistivity on grain-boundary density (10) C194
inclusion, hindrance of grain growth in Al_2O_3 by (3) 164
monoclinic, nucleation of microcracks from twins in (9) 626
ultrafine, synthesis of (10) C204
monoclinic-stabilized cubic, quantitative analysis by XRD (9) C183
precipitated and calcined, effect of pH on crystal phase (8) C168
systems, monoclinic-tetragonal, calibration curve for quantitative analysis (6) C119

TABLE OF CONTENTS

VOLUME 67, 1984

January [1]

***Journal*, pp. 1–74**

1. Energy and Structure of (001) Coincident-Site Twist Boundaries and the Free (001) Surface in MgO: A Theoretical Study ☆ D. Wolf 1
2. Multiaxial Loading Fracture of Al_2O_3 Tubes: I, Experiments ☆ M. G. Stout and J. J. Petrovic 14
3. Multiaxial Loading Fracture of Al_2O_3 Tubes: II, Weibull Theory and Analysis ☆ J. J. Petrovic and M. G. Stout 18
4. Phase Equilibria in the System La_2O_3-P_2O_5 ☆ Hee Dong Park and Eric R. Kreidler 23
5. Intereaction Between Al_2O_3 and a CaO-Al_2O_3 Melt ☆ Lutgard C. De Jonghe, Herbert Schmid, and Mei Chang 27
6. Pore Structure Damage in Blended Cements Caused by Mercury Intrusion ☆ R. F. Feldman 30
7. Solubility of Metals in Substoichiometric TiC_{1-x} ☆ R. J. Kerans, K. S. Mazdiyasni, R. Ruh, and H. A. Lipsitt 34
8. Antireflective Effects on a Soda-Lime Glass Induced by Ar^+ Implantation ☆ F. Geotti-Bianchini, P. Polato, S. Lo Russo, and P. Mazzoldi 39
9. Effect of Step Size in Incremental Loading Tests on Glass Specimens ☆ M. W. Davis and R. E. Mould 43
10. Formation of Calcium Hydroxide from Aqueous Suspensions of Tricalcium Silicate ☆ Zhao-Qi Wu and J. Francis Young 48
11. Physical Properties and Structure of Rf-Sputtered Amorphous Films in the System TiO_2-SiO_2 ☆ T. Hanada, T. Aikawa, and N. Soga 52
12. Geometrical Effects in Elastic/Plastic Indentation ☆ David B. Marshall 57
13. A Study of Silica-Fume-Modified Cements of Varied Fineness ☆ A. Kumar and Della M. Roy 61
14. Crack Growth in Silica Glass Under Dynamic Loading ☆ Yoshinori Hibino, Shigeki Sakaguchi, and Yoshimitsu Tajima 64
15. Thermoelectric Determination of Cation Distributions in Fe_3O_4-$MgFe_2O_4$ ☆ A. Trestman-Matts, S. E. Dorris, and T. O. Mason 69

Correction—Calcium Segregation to a Magnesium Oxide (100) Surface ☆ Robert C. McCune and Paul Wynblatt 74

***Communications*, pp. C-1–C-18**

Preparation of $Pb(Zr,Ti)O_3$ Through the Use of Cupferron ☆ Kazuyuki Kakegawa, Jun-ichi Mohri, Shin-ichi Shirasaki, and Koichiro Takahashi C-2

Compatibility Relations of Al_2O_3 in the System ZrO_2-Al_2O_3-SiO_2-CaO ☆ Pilar Pena and Salvadore De Aza C-3

Heat Capacity of Sodium Silicate Liquids ☆ Pascal Richet, Yan Bottinga, and Christophe Téqui C-6

Internal Friction in Metaphosphate Glasses ☆ Suguru Suzuki, Minoru Takahashi, Taneo Kobayashi, and Hiroyasu Sakamura C-9

Preparation and Properties of Nitrogen-Containing Na_2O-B_2O_3 Glasses ☆ Günther H. Frischat, Wolfgang Krause, and Horst Hübenthal C-10

The Effect of Stoichiometry on Mechanical Properties of Boron Carbide ☆ Koichi Niihara, Atsushi Nakahira, and Toshio Hirai C-13

A Simple Calculation of Process-Zone Toughening by Microcracking ☆ D. R. Clarke C-15

Bubble Formation in Oxide Scales on SiC ☆ Diane M. Mieskowski, T. E. Mitchell, and A. H. Heuer C-17

Comment on "Effect of Thermal History on the Properties of a Willemite Glass-Ceramic" ☆ Kenneth W. Lay C-18

February [2]

***Journal*, pp. 75–154**

16. Phase Equilibria of Nuclear Waste Ceramics: The Effect of Oxygen Fugacity ☆ F. J. Ryerson 75
17. Sinterability of Agglomerated Powders ☆ F. F. Lange 83
18. Microstructure, Strength, and Oxidation of a 10 wt% Zyttrite-Si_3N_4 Ceramic ☆ Sunil Dutta and Bruno Buzek 89
19. Elasticity and Damping of Porous Materials and Impregnated Materials ☆ Lauge Fuglsang Nielsen 93
20. Kinetic Behavior of H and D Atoms in γ-Irradiated SiO_2 as Studied by ESR Spectroscopy ☆ Tetsuo Miyazaki, Naoto Azuma, and Kenji Fueki 99
21. Hexagonal β-SiC Particles ☆ Hiroshi Sato, Nobuo Otsuka, G. L. Liedl, and Said Mansour 103
22. Dielectric Characteristics of $Na_2O{\cdot}3SiO_2$ Glasses with High Water Contents ☆ Masasuke Takata, Joyce E. Molinelli, Minoru Tomozawa, and E. Bruce Watson 106
23. Mechanisms of Failure from Surface Flaws in Mixed-Mode Loading ☆ David B. Marshall 110
24. Lattice Modification in Ion-Implanted Ceramics ☆ C. J. McHargue and C. S. Yust 117
25. Influence of As_2O_3 on the Optical Properties of Ultrapure Multicomponent Silicate Glasses and Optical Fibers ☆ G. A. C. M. Spierings 124
26. Damage Penetration at Elongated Machining Grooves in Hot-Pressed Si_3N_4 ☆ Henry P. Kirchner 127
27. Behavior of Atoms at the Surface of a $K_2O{\cdot}3SiO_2$ Glass—A Molecular Dynamics Simulation ☆ Stephen H. Garofalini 133
28. Morphological Analysis and Growth of Crystallites During Annealing of ZnO ☆ Daniel Louër, Rodolfo Vargas, and Jean-Paul Auffrédic 136

29. Development of Porous Antireflective Films on Soda-Lime-Silica Glass ☆ V. Tengzelius Rohe, S. C. Danforth, and J. S. Haggerty 142
30. Oxygen Activity Dependence of the Electrical Conductivity of Li-Doped Cr_2O_3 ☆ R. F. Huang, A. K. Agarwal, and H. U. Anderson 146
31. Effect of Stress on Water Diffusion in Silica Glass ☆ Masayuki Nogami and Minoru Tomozawa 151

***Communications*, pp. C-19–C-34**

A Practical Technique for Investigating the Fracture Properties of Clay-Based Ceramics by Diamond Indentation ☆ Michael E. Rose and Carin M. Burke C-20
Reaction of High-Silica Optical Fibers with Hydrofluoric Acid ☆ Mou-Tion Lee C-21
Temperature Dependence of Young's Modulus and Internal Friction in Alumina, Silicon Nitride, and Partially-Stabilized Zirconia Ceramics ☆ Masahiko Shimada, Ken'ichi Matsushita, Shusei Kuratani, Taira Okamoto, Mitsue Koizumi, Koji Tsukuma, and Takaaki Tsukidate C-23
Densification in Irradiated UO_2 Fuel ☆ Ian J. Hastings, Paul J. Fehrenbach, and Robert R. Hosbons C-24
Hot Isostatic Pressing of Nuclear Waste Glasses ☆ Alan B. Harker, Peter E. D. Morgan, and John F. Flintoff C-26
Attempted Glass Formation in Pure $KHSO_4$ ☆ Douglas R. MacFarlane C-28
Microscopic Characterization of $Pb_{0.91}La_{0.09}(Zr_{0.65}Ti_{0.35})_{0.98}O_3$ ☆ J. A. Little and P. C. Yao C-29
Analogy Between Mechanical and Dielectric Strength Distributions for $BaTiO_3$Ceramics ☆ Kimihiro Yamashita, Kunihito Koumoto, Hiroaki Yanagida, and Takashi Hamano C-31
Electronic Spectra and Coordination of Ni^{2+} in Potassium Borate Glass and Melt to 1000°C ☆ Ted-Cheng Lin and C. Austen Angell C-33

March [3]

***Journal*, pp. 155–232**

32. Fracture of Ceramic-Polymer Composite Biomaterials ☆ S. Yalvac and J. H. Hand 155
33. Hindrance of Grain Growth in Al_2O_3 by ZrO_2 Inclusions ☆ F. F. Lange and Margaret M. Hirlinger 164
34. Deformation Behavior of UO_2 Above 2000°C ☆ O. D. Slagle 169
35. Intermediate-Stage Sintering of a Homogeneously Packed Compact ☆ Takayasu Ikegami and Yusuke Moriyoshi 174
36. Synthesis, Sintering, and Microstructure of Nasicons ☆ A. K. Kuriakose, T. A. Wheat, A. Ahmad, and J. Dirocco 179
37. Phase Relations in the System Na_2O-Li_2O-Al_2O_3 ☆ J. D. Hodge 183
38. Step-Heating Technique for Thermal Diffusivity Measurements of Large-Grained Heterogeneous Materials ☆ R. R. Bittle and R. E. Taylor 186
39. Directional Solidification of (Ti,Zr) Carbide-(Ti,Zr) Diboride Eutectics ☆ C. C. Sorrell, H. R. Beratan, R. C. Bradt, and V. S. Stubican 190
40. Defect Structure of Mg-Doped $LaCrO_3$ Model and Thermogravimetric Measurements ☆ B. K. Flandermeyer, M. M. Nasrallah, A. K. Agarwal, and H. U. Anderson 195
41. Compaction Behavior of Spray-Dried Alumina ☆ R. G. Frey and J. W. Halloran 199
42. Reaction of Sodium with Ionic Conductors Containing P–O Bonds at Elevated Temperatures ☆ G. J. Tennenhouse and Gary M. Crosbie 204
43. Sintering and Properties of Titanium Diboride Made from Powder Synthesized in a Plasma-Arc Heater ☆ H. R. Baumgartner and R. A. Steiger 207
44. A Rapid Torsion Method for Measuring the Viscosity of Silica Glasses up to 2200°C ☆ Werner Weiss 213
45. Surface Analytical Study of Synroc Subjected to Hydrothermal Attack ☆ S. Myhra, A. Atkinson, J. C. Riviére, and D. Savage 223
46. Quantitative Electron Energy-Loss Measurements on the System ZrO_2-CaO ☆ Nicola Stenton, Michael R. Notis, and David B. Williams 227

***Communications*, pp. C-35–C-52**

Direct Observation of Crack Tip Geometry of SiO_2 Glass by High-Resolution Electron Microscopy ☆ Yoshio Bando, Setsuro Ito, and Minoru Tomozawa C-36
Rationalized Load and Lifetime of Brittle Materials ☆ Jaroslav Menčík C-37
Characterization of Melt-Quenched Quasibinary II-IV-V_2 Chalcopyrite Semiconducting Alloys ☆ Joyce M. Cody and Subhash H. Risbud C-41
Microstructural Changes in Hot Isostatically Pressed Alumina-Glass Composites ☆ Oh-Hun Kwon and Gary L. Messing C-43
Viscosities, Glass Transition Temperatures, and Microhardness of Y-Si-Al-O-N Glasses ☆ Stuart Hampshire, Robin A. L. Drew, and Kenneth H. Jack C-46
Structure of Alkali-Zinc Silicate Glasses by Raman Spectroscopy ☆ David G. Minser, Barbara Walden, and William B. White C-47
Thermogravimetry/Differential Thermal Analysis and Phase Identification of $Cs_2O{\cdot}Al_2O_3{\cdot}2TiO_2$ in the Ternary System Cs_2O-Al_2O_3-TiO_2 ☆ Ahmad G. Solomah, Reinhard Odoj, and Christoph Freiburg C-50
Hot Isostatic Processing of Shocked Si_3N_4 Powder ☆ Shigeyuki Sōmiya, Masahiro Yoshimura, Shūtarō Fujiwara, Ken-ichi Kondo, Akira Sawaoka, Takeo Hattori, Jun-ichi Mōhri, and Masatada Araki C-51

April [4]

***Journal*, pp. 233–304**

47. Effect of Age on Diffusion in Hydrated Alite Cement ☆ L. J. Parrott, R. G. Patel, D. C. Killoh, and H. M. Jennings 233
48. Sintering of Bimodally Distributed Alumina Powders ☆ J. P. Smith and G. L. Messing 238
49. Determination of OH Extinction Coefficients in R_2O-B_2O_3-SiO_2 Glasses (R = Li, Na, K) ☆ Maria Isabel Nieto, Alicia Duran, Jose Maria Fernandez Navarro, and Jose Luis Oteo Mazo 242
50. Kinetics of Hot-Pressing: The Semilogarithmic Law ☆ J. M. Vieira and R. J. Brook 245
51. Temperature-Stable Dielectrics Based on Chemically Inhomogeneous $BaTiO_3$ ☆ D. Hennings and G. Rosenstein 249

52. Crack-Growth Resistance of Microcracking Brittle Materials ☆ A. G. Evans and K. T. Faber 255
53. Compositional Trends in Photoelastic Constants of Borate Glasses ☆ Kazumasa Matusita, Ryosuke Yokota, Tetsuo Kimijima, Takayuki Komatsu, and Chikashi Ihara 261
54. The Formation of Magnesium Oxychloride Phases in the Systems $MgO-MgCl_2-H_2O$ and $NaOH-MgCl_2-H_2O$ ☆ Halka Bilinski, Boris Matković, Carmen Mažuranić, and Tonči Balić Žunić 266
55. Dependence of Young's Modulus on Volume and Structure in Alkali Silicate and Alkali Aluminosilicate Glasses ☆ Mark R. DeGuire and S. D. Brown 270
56. Effect of Li_2CO_3 on Reaction Between CaO and CO_2 ☆ Dario Beruto, M. G. Kim, and Luigi Barco 274
57. Microwave Characteristics of $(Zr,Sn)TiO_4$ and $BaO-PbO-Nd_2O_3-TiO_2$ Dielectric Resonators ☆ K. Wakino, K. Minai, and H. Tamura 278
58. Leaching of Glasses with Molar Composition $20Na_2O \cdot 10RO \cdot xAl_2O_3 \cdot (70-x)SiO_2$ ☆ Bruno M. J. Smets and Margriet G. W. Tholen 281
59. Defect Chemistry of Donor-Doped $BaTiO_3$ ☆ N.-H. Chan and D. M. Smyth 285
60. Dielectric and X-Ray Diffraction Studies of Barium Titanate Doped with Ytterbium ☆ N. M. Molokhia, M. A. A. Issa, and S. A. Nasser 289
61. Faceted Grain Boundaries in Al_2O_3 ☆ K. J. Morrissey and C. B. Carter 292
62. Effect of Glass-Transition Temperature of Polyethylene Glycol-Plasticized Polyvinyl Alcohol on Granule Compaction ☆ C. W. Nies and G. L. Messing 301

***Communications*, pp. C-53–C-76**

Sodium Self-Diffusion Coefficients in Alkali Silicate Glass Melts as Obtained by a Microgravity Experiment ☆ Michael Braedt and Günther H. Frischat C-54
An Efficient and Stable Algorithm for Calculating Fictive Temperatures ☆ Alex Markovsky and Thomas F. Soules C-56
Effect of Variation in Flame Velocity Profile on Particle Deposition Rate ☆ Satyabrata Raychaudhuri and Dipak R. Biswas C-57
Improved High-Q Dielectric Resonator with Complex Perovskite Structure ☆ Hiroshi Tamura, Takehiro Konoike, Yukio Sakabe, and Kikuo Wakino C-59
Forming and Sintering Behavior of B- and C-Doped α- and β-SiC ☆ Robert M. Williams, Barbara N. Juterbock, Charles R. Peters, and Thomas J. Whalen C-62
Properties of Si_3N_4 Produced by Nitriding Slip-Cast Si Containing Si_3N_4 Grog Additions ☆ Robert M. Williams, Andre Ezis, and John C. Caverly C-64
Study of Microstructural Effects in the Strength of Alumina Using Controlled Flaws ☆ Brian R. Lawn, Stephen W. Freiman, Theresa L. Baker, Deborah D. Cobb, and Armando C. Gonzalez C-67
Comparison of Short-Term Leaching in Both Radiation-Damaged and Annealed Nuclear Waste Glasses ☆ John W. Wald and Frank P. Roberts C-69
New Sodium Borate Glasses ☆ James E. Kasper, Steven A. Feller, and Gustavo L. Sumcad C-71
Nitrogen Coordination in Oxynitride Glasses ☆ Richard K. Brow and Carlo G. Pantano C-72
Comment on "Properties of Isostatically Hot-Pressed Silicon Nitride" ☆ Jürgen Heinrich and Manfred Böhmer C-75
Reply ☆ David W. Richerson and James M. Wimmer C-76

May [5]

***Journal*, pp. 305–380**

63. Solid-State Reaction Between Titanium Carbide and Titanium Metal ☆ C. J. Quinn and D. L. Kohlstedt 305
64. Dielectric Properties of Lead-Magnesium Niobate Ceramics ☆ S. L. Swartz, T. R. Shrout, W. A. Schulze, and L. E. Cross 311
65. Small-Angle X-Ray Scattering from Hydrating Tricalcium Silicate ☆ D. Vollet, A. Craievich, and M. Regourd 315
66. Summarization of Glassy Spectral Data with Particular Reference to the Boron Anomaly ☆ G. E. Peterson, C. R. Kurkjian, and A. Carnevale 319
67. Transmission Electron Microscopy and X-Ray Diffraction of Doped Tricalcium Silicate ☆ W. Sinclair and G. W. Groves 325
68. Grain-Oriented Glass-Ceramics for Piezoelectric Devices ☆ A. Halliyal, A. Safari, A. S. Bhalla, R. E. Newnham, and L. E. Cross 331
69. Thermal Oxidation of Sputter-Coated Reaction-Bonded Silicon Nitride ☆ O. J. Gregory and M. H. Richman 335
70. Single-Crystal Elastic Constants of Yttria-Stabilized Zirconia in the Range 20° to 700°C ☆ H. M. Kandil, J. D. Greiner, and J. F. Smith 341
71. Comparison of Single-Point and Multipoint Grinding Damage in Glass ☆ Henry P. Kirchner 347
72. Crystalline Titanate Ceramic Nuclear Waste Forms: Processing and Microstructure ☆ R. G. Dosch, T. J. Headley, and P. Hlava 354
73. Effect of Sulfur on Grain Growth in UO_2 Pellets ☆ T. W. Zawidzki, P. S. Apte, and M. R. Hoare 361
74. Displacement Rate and Temperature Effects in Fracture of a Hot-Pressed Silicon Nitride at 1100° to 1325°C ☆ S. H. Knickerbocker, A. Zangvil, and S. D. Brown 365
75. Stresses Induced by Differential Sintering in Powder Compacts ☆ Bruce Kellett and F. F. Lange 369
76. Variability of the Sr/Ti Ratio in $SrTiO_3$ ☆ S. Witek, D. M. Smyth, and H. Pickup 372
77. Effect of Gas Percolation on Melting of Glass Batch ☆ R. Viskanta and X. Wu 376

***Communications*, pp. C-77–C-96**

Ultralow-Expansion Ceramics in the System $Na_2O-ZrO_2-P_2O_5-SiO_2$ ☆ James Alamo and Rustum Roy C-78
Revision of Crystalline Phases in the System $ZrO_2-P_2O_5$ ☆ James Alamo and Rustum Roy C-80
Thermal Diffusivity Anisotropy of SiC/BN Composites ☆ Robert Ruh, Larry D. Bentsen, and D. P. H. Hasselman C-83
Effect of Crystallization of the Grain-Boundary Phase on the Thermal Diffusivity of a Sialon Ceramic ☆ Larry D. Bentsen, D. P. H. Hasselman, and Tseng-Ying Tien C-85
Cation Valence in VO_x ☆ Robert L. Hsieh, Jerome B. Cohen, and Panayotis Georgopoulos C-86

Growth of α-Al_2O_3 Within a Transition Alumina Matrix ☆ Karen J. Morrissey, Karel K. Czanderna, C. B. Carter, and Robert P. Merrill C-88
Role of View Factor in the Effective Radiative Thermal Conductivity/Diffusivity of Transparent Materials ☆ Larry D. Bentsen, James R. Thomas, Jr., and D. P. H. Hasselman C-90
Preparation of Alumina-Zirconia Powders by Evaporative Decomposition of Solutions ☆ Derek W. Sproson and Gary L. Messing C-92
Reaction of Hydrogen with Optical Defects in Glasses ☆ James E. Shelby C-93
Comment on "Fracture Behavior of the Space Shuttle Thermal Protection System" ☆ David J. Green, F. F. Lange, and John E. Ritter, Jr. C-95
Reply ☆ Atsutomo Komine and Albert S. Kobayashi C-95

June [6]

***Journal*, pp. 381–444**

78. Auger Electron Spectroscopic Analysis of Hydroxylapatite Coatings on Titanium ☆ W. Van Raemdonck, P. Ducheyne, and P. De Meester 381
79. Influence of Hydrostatic Pressure and Humidity on Superplastic Ductility of Two β-Spodumene Glass-Ceramics ☆ J.-G. Wang and R. Raj 385
80. Defect Models for Sintering and Densification of Al_2O_3:Ti and Al_2O_3:Zr ☆ F. A. Kröger 390
81. Role of Material Properties in the Thermal-Stress Fracture of Brittle Ceramics Subjected to Conductive Heat Transfer ☆ H. Hencke, J. R. Thomas, Jr., and D. P. H. Hasselman 393
82. Mechanism of Superplastic Flow in a Fine-Grained Ceramic Containing Some Liquid Phase ☆ J.-G. Wang and R. Raj 399
83. Kinetics and Mechanisms of High-Temperature Creep in Silicon Carbide: I, Reaction-Bonded ☆ C. H. Carter, Jr., R. F. Davis, and J. Bentley 409
84. Electrical Conductivity of Polycrystalline Li_2SiO_3 and γ-$LiAlO_2$ ☆ Satoshi Konishi and Hideo Ohno 418
85. Dependence of Equilibria in the Modified Chemical Vapor Deposition Process on $SiCl_4$, $GeCl_4$, and O_2 ☆ K. B. McAfee, Jr., K. L. Walker, R. A. Laudise, and R. S. Hozack 420
86. Crystal Clamping in Lead Titanate Glass-Ceramics ☆ S. M. Lynch and J. E. Shelby 424
87. Defects in Silicon Carbide Whiskers ☆ S. R. Nutt 428
88. Strength and Its Variability in Ceramics with Particular Reference to Alumina ☆ J. E. Ritter, Jr. and R. W. Davidge 432
89. Property Variation in Alkali Alkaline-Earth Metaphosphate Glasses ☆ J. A. Wilder and J. E. Shelby 438

***Communications*, pp. C-97–C-128**

Crystal Growth of ZnO by Hydrothermal Decomposition of Zn-EDTA ☆ Hitoshi Nishizawa, Takuhiro Tani, and Kiyoshi Matsuoka C-98
Calcium Phosphate Glass-Ceramic Crown Prepared by Lost-Wax Technique ☆ Seiji Kihara, Akira Watanabe, and Yoshihiro Abe C-100
Rate-Controlled Technique for Calcining and Drying ☆ W. J. Lackey, Peter Angelini, A. J. Caputo, C. E. DeVore, J. C. McLaughlin, David P. Stinton, and R. E. Hutchens C-102
Acoustic Location of Fracture Origin in Optical Glass Fibers ☆ Kazuhiro Ema, Hidemi Shigekawa, and Shin-ichi Hyodo C-104
An Electromotive Force Series in a Borosilicate Glass-Forming Melt ☆ Henry D. Schreiber, G. Bryan Balazs, Barbara E. Carpenter, Janet E. Kirkley, Leslie M. Minnix, and P. Lynne Jamison C-106
Reactive-Phase Calsintering of Calcium-Carbonate-Derived Lime ☆ Ying-Yi Shi, Gary L. Messing, and Richard C. Bradt C-109
Deviation from Stoichiometry in Cr_2O_3 at High Oxygen Partial Pressures ☆ C. Greskovich C-111
Synthesis and Characterization of Monosized Doped TiO_2 Powders ☆ Bruce Fegley, Jr., Eric A. Barringer, and H. Kent Bowen C-113
Characterization and Sintering of a Porous Glass-Ceramic in the System Na_2O-B_2O_3-Sc_2O_3 ☆ S. Hart, Miloslav A. Res, and J. Harris C-116
Calibration Curve for Quantitative Analysis of the Monoclinic-Tetragonal ZrO_2 System by X-Ray Diffraction ☆ Hideo Toraya, Masahiro Yoshimura, and Shigeyuki Sōmiya C-119
Microscopy of SiC Powders Synthesized by Reacting Colloidal Silica and Pitch ☆ Lawrence A. Harris, C. R. Kennedy, George Chia-Tsing Wei, and F. P. Jeffers C-121
Dihedral Angle Effects on the Stability of Pore Channels ☆ W. Craig Carter and Andreas M. Glaeser C-124
Comment on "Crystallography of the Directionally Solidified NiO-CaO Eutectic" ☆ Vladimir S. Stubican C-127
Reply ☆ Alexandre Revcolevschi and Marc Fragneau C-128

July [7]

***Journal*, pp. 445–516**

90. Properties of Some Simple Glass/Ceramic Systems ☆ Paige L. Higby and James E. Shelby 445
91. Hot-Pressing of High-Purity Magnesium Oxide ☆ J. M. Vieira and R. J. Brook 450
92. Compositional Modification of Hot-Pressed Silicon Nitride by High-Temperature Electrolysis ☆ D. R. Clarke 455
93. Metal Oxide Solubility in Eutectic Li/K Carbonate Melts ☆ Charles E. Baumgartner 460
94. Sodium Diffusion and Leaching of Simulated Nuclear Waste Glass ☆ B. P. McGrail, A. Kumar, and D. E. Day 463
95. Diphasic Xerogels, A New Class of Materials: Phases in the System Al_2O_3-SiO_2 ☆ David W. Hoffman, Rustum Roy, and Sridhar Komarneni 468
96. Strength of Hot-Pressed Silicon Nitride After High-Temperature Exposure ☆ K. Jakus, J. E. Ritter, Jr., and W. P. Rogers 471
97. Electrolysis of Soda-Lime Silicate Glass in Water ☆ Robert H. Doremus, Ann Babinec, Kathleen D'Angelo, Michael Doody, William A. Lanford, and Chandra Burman 476

98. Oxidation and Diffusion in Selected Pitch-Bonded Magnesia Refractories ☆ Rasto Brezney and Charles E. Semler 480
99. Barrier Layers in Semiconducting Barium Titanate Glass-Ceramics ☆ Andrew Herczog 484
100. Mechanical Properties of Densely Sintered High-Purity Titanium Diborides in Molten Aluminum Environments ☆ H. R. Baumgartner 490
101. Electronically Conducting Doped Chromium Oxides ☆ G. M. Crosbie, G. J. Tennenhouse, R. P. Tischer, and H. S. Wroblowa 498
102. Use of the Adam-Gibbs Equation in the Analysis of Structural Relaxation ☆ George W. Scherer 504
103. CO_2-Catalyzed Surface Area and Porosity Changes in High-Surface-Area CaO Aggregates ☆ Dario Beruto, Luigi Barco, and Alan W. Searcy 512
Correction—Microstructure, Strength, and Oxidation of a 10 wt% Zyttrite-Si_3N_4 Ceramic ☆ Sunil Dutta and Bruno Buzek 516

***Communications*, pp. C-129–C-152**

Solid Solubility of Na_2O in Mullite ☆ Hartmut Schneider C-130
High-Yield Synthesis of Si_3N_4/SiC Ceramic Materials by Pyrolysis of a Novel Polyorganosilazane ☆ Dietmar Seyferth and Gary H. Wiseman C-132
Influence of Titanium Dioxide on the Sintering and Microstructural Evolution of Mullite ☆ Carmen Baudin and José S. Moya C-134
Vibrational Spectroscopy of Pb/Mn/Ga Fluoride Glasses ☆ Bernard Bendow, Pranab K. Banerjee, Shashanka S. Mitra, Charles Jacoboni, and Robert DePape C-136
Thermal Expansion of ZrC From 120 to 300 K by an X-Ray Powder Method ☆ Ebrahim Rahimzadeh, Narayan R. Joshi, and Sohan Singh C-139
Shrinkage of Glass Soot Samples using Hot-Stage Scanning Electron Microscopy ☆ Dipak R. Biswas C-140
Preparation of High-Strength Calcium Phosphate Glass-Ceramics by Unidirectional Crystallization ☆ Yoshihiro Abe, Toshihiro Kasuga, Hideo Hosono, and K. de Groot C-142
Creep Analysis of Bend Specimens Subject to Tensile Cracking ☆ Anuradha Venkateswaran and D. P. H. Hasselman C-144
Controlled Crystallization of Amorphous Si_3N_4 by Ti and Cl Additives ☆ Kohji Nobugai, Shigeki Yabe, and Fumikazu Kanamaru C-146
Conductivity Maximum in Sodium Aluminoborate Glass ☆ Steve W. Martin and C. Austen Angell C-148
Alumina Substructure and Electrical Conductivity in Vitreous Silica ☆ Robert H. Doremus C-150
Thermal Conductivity of Cr_2O_3 in the Vicinity of the Néel Transition ☆ Robert K. Williams, Ronald S. Graves, and David L. McElroy C-151

August [8]

***Journal*, pp. 517–578**

104. Oxidation-Based Model for Thermal Barrier Coating Life ☆ Robert A. Miller 517
105. High-Temperature Chemical Phenomena Affecting Silicon Nitride Joints ☆ R. D. Brittain, S. M. Johnson, R. H. Lamoreaux, and D. J. Rowcliffe 522
106. Preparation of SiO_2 Glass from Model Powder Compacts: I, Formation and Characterization of Powders, Suspensions, and Green Compacts ☆ Michael D. Sacks and Tseung-Yuen Tseng 526
107. Preparation of SiO_2 Glass from Model Powder Compacts: II, Sintering ☆ Michael D. Sacks and Tseung-Yuen Tseng 532
108. Fracture Criterion for Alumina Ceramics Subjected to Triaxial Stresses ☆ Kiyohiko Ikeda and Hisashi Igaki 538
109. Theoretical Model of Impact Damage in Structural Ceramics ☆ B. M. Liaw, A. S. Kobayashi, and A. F. Emery 544
110. Isothermal Sintering of Cordierite-Type Glass Powders ☆ Edward A. Giess, Joseph P. Fletcher, and L. Wynn Herron 549
111. Model for Leaching Behavior of Aluminosilicate Glasses Developed as Matrices for Immobilizing High-Level Wastes ☆ K. B. Harvey and C. D. Litke 553
112. Properties and Morphology of Barium Germanate Glasses ☆ J. E. Shelby 557
113. Impact Behavior of Coated Low-Density Bodies ☆ David J. Green 560
114. Disproportionation of SO_2 in Bubbles Within Soda-Containing Glasses ☆ Helen R. Golob and E. Lowell Swarts 564
115. Computational Model for the Oxygen Potentials of Mixed Uranium-Plutonium Oxide ☆ M. V. Krishnaiah and P. Sriramamurti 568
116. Improvements in Mechanical Properties in SiC by the Addition of TiC Particles ☆ G. C. Wei and P. F. Becher 571
117. Vaporization Thermodynamics and Enthalpy of Formation of Aluminum Silicon Carbide ☆ Robert G. Behrens and Gary H. Rinehart 578
Correction—Use of the Adam-Gibbs Equation in the Analysis of Structural Relaxation ☆ George W. Scherer 575

***Communications*, pp. C-153–C-170**

Copper-Alkali Ion Exchange of Alkali Aluminosilicate Glasses in Molten CuCl—An Ion Exchange Controlled by the $Cu^+ \rightarrow Cu^{2+}$ Oxidation Reaction in Glass ☆ Toshinobu Yoko, Kanichi Kamiya, Yoshihiro Ishino, and Sumio Sakka C-154
Solubility of Refractory Oxides in Soda-Lime Glass ☆ Louis J. Manfredo and Robert N. McNally C-155
Effect of Etched Depth on Glass Strength ☆ Chandan Kumar Saha and Alfred R. Cooper, Jr. C-158
Abrasion Resistance of Field-Assisted Ion-Exchanged Glass ☆ Chandan Kumar Saha and Alfred R. Cooper, Jr. C-160
Release of Short-Lived Fission Products from Intact and Defected UO_2 Fuel Elements ☆ Ian J. Hastings, C. E. Laurence Hunt, John J. Lipsett, and Roderick D. MacDonald C-161
The System Magnesium Cordierite–Cobalt Cordierite ☆ Peter Wandschneider and Friedrich Seifert C-163
Transformation Range Viscosity of Fluorozirconate Glasses ☆ James E. Shelby, Carlo G. Pantano, and Aleta A. Tesar C-164
Grooving and Off-Center Crack Effects on Applied-Moment Double-Cantilever-Beam Tests ☆ Carl Cm. Wu, Karl R. McKinney, and David Lewis C-166
Effect of pH on Crystal Phase of ZrO_2 Precipitated from Solution and Calcined at 600°C ☆ Burtron H. Davis C-168
Mixing of Flocced Suspensions ☆ Elis Carlström and F. F. Lange C-169

Correction—Effect of Trace Impurity Levels on the Viscosity of Vitreous Silica ☆ Peter P. Bihuniak, Andrew Calabrese, and Emmett M. Erwin C-170
Correction—Effect of Trace Impurities on Devitrification of Vitreous Silica ☆ Peter P. Bihuniak C-170

September [9]

***Journal*, pp. 579–636**

118. Potentiometric Study of the Reactivity of Calcined Magnesites for Use in Magnesium Oxychloride Cements ☆ S. Alegret, M. Blanco, and R. Subirats 579
119. A Theoretical Analysis of the Ring-On-Ring Loading Disk Test ☆ H. Fessler and D. C. Fricker 582
120. Fracture of Brittle Solids in the Presence of Thermoelastic Stresses ☆ Vladimir D. Krstic 589
121. Gibbs Free Energies of Formations of the Magnesium and Calcium Germanates at High Temperatures ☆ Su-Il Pyun ... 594
122. Influence of Aggregates on Sintering ☆ F. W. Dynys and J. W. Halloran 596
123. Thermal Decomposition in the System Si-Y-Al-O-N ☆ Donald R. Messier and Eileen J. Deguire 602
124. Thermochemistry of Charge-Coupled Substitutions in Silicate Glasses: The Systems $M_{1/n}^{n+}AlO_2$-SiO_2 (M = Li, Na, K, Rb, Cs, Mg, Ca, Sr, Ba, Pb) ☆ Bimalendu N. Roy and Alexandra Navrotsky 606
125. Thermodynamic Investigations in the System U-Mo-O ☆ G. Chattopadhyay, S. N. Tripathi, and A. S. Kerkar 610
126. Kinetic Analysis of Solid-State Reactions Between Powdered Reactants ☆ Julius Beretka 615
127. Crystallization of a Glass-Ceramic by Epitaxial Growth ☆ T. J. Headley and R. E. Loehman 620
128. Microcrack Nucleation in Ceramics Subject to a Phase Transformation ☆ Y. Fu, A. G. Evans, and W. M. Kriven 626
129. Oxide Fuels with Controlled Microstructure ☆ H. Assmann, W. Doerr, and M. Peehs 631

***Communications*, pp. C-171–C-192**

Effect of Processing Parameters on the Surface Area of Freeze-Dried and Spray-Dried Alumina ☆ Satya K. Sarkar, Mitthan L. Sharma, Hira L. Bhaskar, and Dev K. Debnath C-172
Measurement of Small Concentrations of Cr and Mn in MgO Using Electron Spin Resonance ☆ R. S. de Biasi and A. A. R. Fernandes C-173
A General Structure for Coincidence Twist Grain Boundaries in Rock-Salt-Structured Oxides ☆ Dorothy M. Duffy and Philip W. Tasker C-176
Causes and Effects of Fe-Bearing Inclusions in Sintered Si_3N_4 ☆ Arvid E. Pasto C-178
Tribological Properties of Glass-Ceramics ☆ David C. Cranmer C-180
Quantitative Analysis of Monoclinic-Stabilized Cubic ZrO_2 Systems by X-Ray Diffraction ☆ Hideo Toraya, Masahiro Yoshimura, and Shigeyuki Sōmiya C-183
Removal of Oxide Contamination from Silicon Carbide Powders ☆ Jorulf Brynestad, Carlos E. Bamberger, Dale E. Heatherly, and J. Fred Land C-184
Liquid Immiscibility in the Systems Na_2O-Yb_2O_3-B_2O_3-SiO_2 and K_2O-Yb_2O_3-B_2O_3-SiO_2 ☆ Peter Taylor, Sheila D. Ashmore, and Allan B. Campbell C-186
Contact Damage in Hot-Pressed and Chemically-Vapor-Deposited Zinc Sulfide ☆ Henry P. Kirchner, J. A. Tiracorda, and T. J. Larchuk C-188
Phase Relations in the System ZrO_2-Y_2O_3 at Low Y_2O_3 Contents ☆ Robert Ruh, K. S. Mazdiyasni, P. G. Valentine, and H. O. Bielstein C-190
Correction—Deviation from Stoichiometry in Cr_2O_3 at High Oxygen Partial Pressures ☆ C. Greskovich C-192

October [10]

***Journal*, pp. 637–704**

130. Surface Characteristics of Sodium β-Alumina Electrolytes ☆ R. N. Singh 637
131. Formation and Microstructure of Mg-Si-O-N Glasses ☆ T. M. Shaw, G. Thomas, and R. E. Loehman 643
132. Fracture of Porous Ceramic Plates under Biaxial Tension-Compression ☆ T.-J. Chen and W. J. Knapp 648
133. Effect of Heating Time on the Thermal Stress Resistance of a Soda-Lime-Silica Glass ☆ Ramon L. Sager, Henri Tawil, and D. P. H. Hasselman 651
134. Effect of Atmosphere on the Electrical Conductivity of Sodium Tungstophosphate Glasses ☆ Dean J. Geraci and James E. Shelby 654
135. A New Class of Glasses for Double-Crucible Optical Fibers with High Numerical Apertures ☆ G. A. C. M. Spierings, C. M. G. Jochem, T. P. M. Meeuwsen, and G. E. Thomas 657
136. Phase Transformation and Processing of Polycrystalline Gadolinium Selenide, $GdSe_{1.49}$ ☆ G. C. Wei 664
137. Radioactive Waste-Portland Cement Systems: I, Radionuclide Distribution ☆ C. M. Jantzen, F. P. Glasser, and E. E. Lachowski 668
138. Radioactive Waste-Portland Cement Systems: II, Leaching Characteristics ☆ C. M. Jantzen 674
139. Internal Reactions in Oxide Solid Solutions ☆ K. M. Ostyn, C. B. Carter, M. Koehne, H. Falke, and H. Schmalzried ... 679
140. In Situ Raman Spectroscopic Study of Yttria-Stabilized Zirconia Attack by Molten Sodium Vanadate ☆ J. C. Hamilton and A. S. Nagelberg 686
141. Preparation of Silicon Nitride from Silica ☆ Shi-Chang Zhang and W. Roger Cannon 691
142. Chemical Polishing Behavior of Sodium β''-Alumina Electrolytes ☆ R. N. Singh 696
143. Photoelastic Effects in Silicate Glasses ☆ Kazumasa Matusita, Chikashi Ihara, Takayuki Komatsu, and Ryosuke Yokota 700
Correction—Effect of Stress on Water Diffusion in Silica Glass ☆ Masayuki Nogami and Minoru Tomozawa 704

***Communications*, pp. C-193–C-220**

Dependence of Grain-Boundary Resistivity on Grain-Boundary Density in Yttria-Stabilized Zirconia ☆ Masaru Miyayama and Hiroaki Yanagida C-194
Phase Diagram of the Pseudobinary System Ga_2O_3-$Bi_{2-x}^{3+}Bi_x^{5+}O_{3+x}^{2-}$ ☆ Michael Grebien, Florian Haberey, and Kurt Sahl C-195
Surface Tension of ZrF_4-BaF_2-LaF_3 Glass ☆ Narottam P. Bansal and Robert H. Doremus C-197

Dynamic Fatigue Analysis of Indentation Flaws Using an Exponential-Law Crack Velocity Function ☆ John E. Ritter, Michael Vicedomine, Kristin Breder, and Karl Jakus C-198
Fiberizable $Si(OC_2H_5)_4$-H_2O-C_2H_5OH Sols with Stabilized Viscosity ☆ William C. LaCourse, Steven Dahar, and Md. Masyood Akhtar C-200
A "Compressed-Spring" Analogy for Residual Stress Effects on the Extension of Indenter Flaws ☆ Dinesh K. Shetty, Anil V. Virkar, Alan R. Rosenfield, and Winston Duckworth C-201
Synthesis of 6-nm Ultrafine Monoclinic Zirconia ☆ Peter E. D. Morgan C-204
Sintering of CdO Under Low Applied Stress ☆ Mohamed N. Rahaman and Lutgard C. De Jonghe C-205
Effect of Hot Isostatic Pressing on Reaction-Bonded Silicon Nitride ☆ Gordon K. Watson, Thomas J. Moore, and Michael L. Millard C-208
Deuteroxyl Groups in Vitreous Silica ☆ Binod Kumar and William F. Lynn C-210
Crystalline Phase Change in Yttria-Partially-Stabilized Zirconia by Low-Temperature Annealing ☆ Tsugio Sato and Masahiko Shimada C-212
Pore Shrinkage and Sintering Stress ☆ Lutgard C. De Jonghe and Mohamed L. Rahaman C-214
Particle Rotation in Early Sintering ☆ Chun-Hway Hsueh and Lutgard C. De Jonghe C-215
Effect of Cracks on Water Sorption of Glass ☆ Victor R. Howes and Armin Szameitat C-218
Fracture Toughness of a Beta-SiC Whisker ☆ John J. Petrovic and Raymond B. Roof C-219

November [11]
***Journal*, pp. 705–774**

144. Electrical Resistivities of Monocrystalline and Polycrystalline TiB_2 ☆ A. D. McLeod, J. S. Haggerty, and D. R. Sadoway 705
145. Viscous Sintering of a Bimodal Pore-Size Distribution ☆ George W. Scherer 709
146. Formation and Structure of Silicon Carbide Whiskers from Rice Hulls ☆ N. K. Sharma, Wendell S. Williams, and A. Zangvil 715
147. Nucleation of Cavities During Creep of Liquid-Phase-Sintered Materials ☆ M. D. Thouless and A. G. Evans 721
148. Effects of Voids at Three-Grain Junctions on Sintering and Creep Damage ☆ M. D. Drory and A. G. Evans 727
149. Kinetics and Mechanisms of High-Temperature Creep in Silicon Carbide: II, Chemically Vapor Deposited ☆ C. H. Carter, Jr., R. F. Davis, and J. Bentley 732
150. High-Temperature Failure of Polycrystalline Alumina: I, Crack Nucleation ☆ B. J. Dalgleish, S. M. Johnson, and A. G. Evans 741
151. High-Temperature Failure of Polycrystalline Alumina: II, Creep Crack Growth and Blunting ☆ W. Blumenthal and A. G. Evans 751
152. High-Temperature Failure of Polycrystalline Alumina: III, Failure Times ☆ S. M. Johnson, B. J. Dalgleish, and A. G. Evans 759
153. Statistically Designed Optimization of a Glass Composition ☆ L. A. Chick and G. F. Piepel 763
154. Erosion Damage in Glass and Alumina ☆ J. E. Ritter, P. Strzepa, K. Jakus, L. Rosenfeld, and K. J. Buckman 769

***Communications*, pp. C-221–C-254**

Preparation of High-Strength Apatite Ceramics ☆ Kazuo Kondo, Masahiko Okuyama, Hidetoshi Ogawa, Yoshimasa Shibata, and Yoshihiro Abe C-222
High-Pressure Self-Combustion Sintering for Ceramics ☆ Yoshinari Miyamoto, Mitsue Koizumi, and Osamu Yamada C-224
Preparation and Mechanical Properties of Mg-Al-Si-O-N Glasses ☆ Joseph Homeny and Dennis L. McGarry C-225
Fracture Mirror-Failure Stress Relations in Weathered and Unweathered Window Glass Panels ☆ Dorothy A. Reed and Richard C. Bradt C-227
Enhanced Densification of Boehmite Sol-Gels by α-Alumina Seeding ☆ Masato Kumagai and Gary L. Messing C-230
Problems Associated with the Melting of Oxynitride Glasses ☆ Raja Wusirika C-232
Properties of Metallic Glasses in the System Pd-Ni-P and in Related Systems ☆ Joachim Dietrichs and Günther H. Frischat C-233
Effect of Crystallites on Thermal Shock Resistance of Cordierite Glass-Ceramics ☆ Carolyn J. Fairbanks, Hong Lim Lee, and D. P. H. Hasselman C-236
Chemical Durability of Fluorozirconate Glasses ☆ Günther H. Frischat and Iris Overbeck C-238
Subsolidus Phase Relations in the Pseudoternary System ZrO_2-$YO_{1.5}$-$CrO_{1.5}$ in Air ☆ Manikpurage Jayaratna, Masahiro Yoshimura, and Shigeyuki Sōmiya C-240
NH_4^+ Absorption in Fluoride Glass Infrared Fibers ☆ Paul W. France, Stephen F. Carter, and John R. Williams C-243
Velocity of a Freely Rising Gas Bubble in a Soda-Lime Silicate Glass Melt ☆ Emery J. Hornyak and Michael C. Weinberg C-244
Synthesis of β-Sialon from a Montmorillonite-Polyacrylonitrile Intercalation Compound by Carbothermal Reduction ☆ Yoshiyuki Sugahara, Kazuyuki Kuroda, and Chuzo Kato C-247
Occurrence of Ti^{3+} and Fe^{2+} in Mullite ☆ Hartmut Schneider and Helmut Rager C-248
Field-Assisted Ion Exchange in Type III Silica ☆ Mahmoud Abou el leil and Elias Snitzer C-250
Comment on "Direct Observation of Crack-Tip Geometry of SiO_2 Glass by High-Resolution Electron Microscopy" ☆ Brian R. Lawn, David B. Marshall, and Arthur H. Heuer C-253
Reply ☆ Minoru Tomozawa, Yoshio Bando, and Setsuro Ito C-254
Correction—Tribological Properties of Glass-Ceramics ☆ David C. Cranmer C-254

December [12]
***Journal*, pp. 775–814**

155. Diffusion of Deuterium in Amorphous Cordierite ☆ R. Gonzalez, Y. Chen, and K. L. Tsang 775
156. Leaching of E-Glass ☆ Thomas H. Elmer 778

157. Properties and Structure of Lanthanum Borate Glasses ☆ Indra N. Chakraborty, James E. Shelby, and Robert A. Condrate, Sr. 782
158. Electrical Conductivity and Defect Structure of Y_2O_3 as a Function of Water Vapor Pressure ☆ Truls Norby and Per Kofstad 786
159. Kinetics of the Early Hydration of Tricalcium Aluminate in Solutions Containing Calcium Sulfate ☆ Paul Wencil Brown, Lawrence O. Liberman, and Geoffrey Frohnsdorff 793
160. Raman Study of Grain Size Effects in the Melting Behavior of $15Na_2CO_3$-$10BaCO_3$-$75SiO_2$ Batches ☆ D. M. Krol and R. K. Janssen 796
161. Effects of Particle Distribution on Transformation-Induced Toughening in an MgO-PSZ ☆ N. Bhathena, R. G. Hoagland, and G. Meyrick 799
162. Crystallization of Calcia-Gallia-Silica Glasses ☆ Chandra S. Ray and Delbert E. Day 806
163. Conductivity of Iron-Doped Polycrystalline Alumina at High Temperatures ☆ I. K. Lloyd, T. M. Pollak, and H. K. Bowen 810

***Communications*, pp. C-255–C-274**

Effect of Interlayers in Ceramic-Metal Joints with Thermal Expansion Mismatches ☆ Katsuaki Suganuma, Taira Okamoto, Mitsue Koizumi, and Masahiko Shimada C-256
Dehydration of Gels and Glasses in the Systems B_2O_3-SiO_2 and ZrO_2-SiO_2 Prepared by the Sol-Gel Process from Metal Alkoxides ☆ Masayuki Nogami C-258
An Indentation Method for Measuring Matrix-Fiber Frictional Stresses in Ceramic Composites ☆ David B. Marshall ... C-259
Plasma-Sprayed Ceramic Reaction Couples ☆ Jeganathan Karthikeyan, Narayanan Venkatramani, and Vijay Kumar Rohatgi C-261
Coalescence of Two Equal Cylinders: Exact Results for Creeping Viscous Plane Flow Driven by Capillarity ☆ Robert W. Hopper C-262
Preparation and Sintering of a Porous Glass-Ceramic in the System Na_2O-B_2O_3-Ga_2O_3 ☆ Miloslav A. Res, Jaroslav Bednarik, Jacobus T. Fourie, and Jonathan L. Albain C-264
Toughening Behavior in SiC-Whisker-Reinforced Alumina ☆ Paul F. Becher and George C. Wei C-267
Comment on "Effect of Surface Condition on Oxygen Self-Diffusion Coefficients in Single-Crystal Al_2O_3" and "Effect of Ratio of Surface Area to Volume on Oxygen Self-Diffusion Coefficients Determined for Crushed MgO-Al_2O_3 Spinels" ☆ Paul F. Dennis and John A. Kilner C-269
Reply ☆ W. David Kingery C-272
Reply ☆ Yasumichi Oishi, Ken Ando, Nobuhiko Suga, and W. David Kingery C-272